

## **SPECIFICATION SHEET**

**VERSION** 1,00 **VERSION DATE** 18/11/20 **PRINT DATE** 24/04/24

PRODUCT DIPROPYLENE GLYCOL METHYL ETHER
APPLICATIONS Industrial raw material not intended for direct use

APPLICATIONS Industrial raw material not intended for direct use.

IUPAC NAME 2-(2-METHOXYPROPOXY)PROPAN-1-OL

SYNONYMS DOWANOL DPM

 FORMULA
 C7 H16 O3

 MOLECULAR WEIGHT
 148,20

 CAS
 34590-94-8

**EINECS** 252-104-2

**TARIFF NUMBER** 2909498090

**REACH REGISTRATION NO.** 01-2119450011-60

## **SPECIFICATIONS**

ASPECT AT 20°C SLIGHT VISCOUS CLEAR LIQUID COLOUR COLORLESS TO PALE YELLOW

**ODOUR** SOFT

**TASTE** 

**DENSITY AT 20°C (g / ml)** 0,945 - 0,960

DENSITY 25/25

**REFRACTIVE INDEX nD20** 1,4180 - 1,4280

REFRACTIVE INDEX nD25
OPTICAL ROTATION (°)

 BOILING POINT (°C)
 CA. 190

 MELTING POINT (°C)
 -83

 FLASH POINT (°C)
 75,00

 ASSAY (% GC)
 > 98,5

ACID VALUE (mg KOH/g) < 0,01% as HAC SOLUBILITY SOLUBLE IN WATER

**VAPOUR PRESSURE** 37 Pa (20°C); 374,38 Pa (50°C)

OTHER SOLUBILITIES SOLUBLE IN ETHANOL

**OTHER TECHNICAL DATA** WATER < 0,15%

## STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.