


## SPECIFICATION SHEET

<b>VERSION</b>	3,00	<b>VERSION DATE</b>	11/03/22	<b>PRINT DATE</b>	15/08/22
<b>PRODUCT</b>	AMBERMOR KETAL IPM				
<b>APPLICATIONS</b>	Raw material for industrial use intended for the manufacture of flavours and/or fragrances.				
<b>IUPAC NAME</b>	3,8,8,11a-TETRAMETHYLDODECAHYDRO-5H-3,5a-EPOXY-NAPHT[2,1-C]OXEPIN (IN SOLV				
<b>SYNONYMS</b>	AMBER OXEPIN, AMBERKETAL, Z11, KETAMBER, AMBERMOR KETAL				
<b>FORMULA</b>	C18 H30 O2				
<b>MOLECULAR WEIGHT</b>	278,00				
<b>CAS</b>	57345-19-4				
<b>EINECS</b>	260-686-4				
<b>TARIFF NUMBER</b>	3302909000				
<b>KOSHER CERTIFICATE</b>	AVAILABLE ON REQUEST				
<b>REACH REGISTRATION NO.</b>	Exempt from registration (imported/manufactured < 1 ton/year)				



## SPECIFICATIONS

<b>ASPECT AT 20°C</b>	CLEAR MOBILE LIQUID/SOLID	
<b>COLOUR</b>	COLORLESS	
<b>ODOUR</b>	AMBER, WOODY, MUSKY	
<b>TASTE</b>		
<b>DENSITY AT 20°C (g / ml)</b>	0,860	- 0,875
<b>DENSITY 25/25</b>	-	
<b>REFRACTIVE INDEX nD20</b>	1,4360	- 1,4460
<b>REFRACTIVE INDEX nD25</b>	1,4340	- 1,4440
<b>OPTICAL ROTATION (°)</b>	/	
<b>BOILING POINT (°C)</b>	-	
<b>MELTING POINT (°C)</b>	-	
<b>FLASH POINT (°C)</b>	100,00	
<b>ASSAY (% GC)</b>	MAIN PEAK 8,5% APPROX. (SINGLE PEAK)	
<b>ACID VALUE (mg KOH/g)</b>	-	
<b>SOLUBILITY</b>	INSOLUBLE IN WATER	
<b>VAPOUR PRESSURE</b>	0,0008946 mm Hg at 23°C	
<b>OTHER SOLUBILITIES</b>	SOLUBLE IN ETHANOL	

## OTHER TECHNICAL DATA

## STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.  
PURGE HEADSPACE WITH NITROGEN. IT CONTAINS 91,5% OF ISOPROPYL MYRISTATE.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.