


SPECIFICATION SHEET

VERSION	2,00	VERSION DATE	19/09/22	PRINT DATE	16/05/24
PRODUCT	OSYROL				
APPLICATIONS	Industrial raw material not intended for direct use.				
IUPAC NAME	3,7-DIMETHYL-7-METHOXYOCTAN-2-OL				
SYNONYMS	3,7-DIMETHYL-7-METHOXYOCTAN-2-OL, FLORSANTOL, ACSANTOL, SANDAL OCTANOL				
FORMULA	C ₁₁ H ₂₄ O ₂				
MOLECULAR WEIGHT	188,00				
CAS	41890-92-0				
EINECS	255-574-7				
TARIFF NUMBER	2909498090				
REACH REGISTRATION NO.	01-2120763501-60				



SPECIFICATIONS

ASPECT AT 20°C	CLEAR SLIGHT VISCOUS LIQUID	
COLOUR	COLORLESS TO PALE YELLOW	
ODOUR	SANDALWOOD, FLORAL, WOODY	
TASTE		
DENSITY AT 20°C (g / ml)	0,898	- 0,903
DENSITY 25/25		-
REFRACTIVE INDEX n_D20	1,4450	- 1,4490
REFRACTIVE INDEX n_D25		-
OPTICAL ROTATION (°)		/
BOILING POINT (°C)	-	
MELTING POINT (°C)	-	
FLASH POINT (°C)	101,00	
ASSAY (% GC)	> 98 (SUM OF TWO ISOMERS)	
ACID VALUE (mg KOH/g)		
SOLUBILITY	INSOLUBLE IN WATER	
VAPOUR PRESSURE	< 2 mm Hg at 20°C	
OTHER SOLUBILITIES	SOLUBLE IN ETHANOL	

OTHER TECHNICAL DATA	ISOMERS: (R,R) AND (S,S) CAS 87605-57-0 45-65% APPROX.; (R,S) AND (S,R) CAS 87605-61-6 35-55% APPROX.
-----------------------------	---

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.