

CITRAL FCC BASF

Revision date: 16-03-2023 Print Date: 20-04-2024 Version: 4.0/GHS/EN

Page: 1/5

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

1.1. Identification of the substance/mixture

Trade name: CITRAL FCC BASE

Substance name: **CITRAL** CAS Number: 5392-40-5 226-394-6 **CF Number:**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances and/or flavourings.

1.3. Details of the supplier of the safety data sheet

Ernesto Ventós SA Company:

Address: Carretera Real, 120 B

08960 Sant Just Desvern - Barcelona - SPAIN

Telephone: (00 34) 934 706 210 (00 34) 934 733 010 Fax: E-mail: info@ventos.com

1.4. Emergency telephone number

NCEC (+44) 1865 407333 (24h) NCEC (+34) 91 114 2520 (24h) (ES)

NCEC (+1) 202 464 2554 (24h) (USA, Canada)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1 - H317

Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401

2.2. Label Elements

Hazard pictograms:



Signal Word:

Warning

Hazard statements:

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H401 - Toxic to aquatic life.

Precautionary statements:

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 - Avoid release to the environment.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352+P333+P313 – IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338+P337+P313 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

P362+P364 – Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Chemical name: CITRAL CAS number: 5392-40-5 EC number: 226-394-6



CITRAL FCC BASF

Revision date: 16-03-2023 Print Date: 20-04-2024 Version: 4.0/GHS/EN

Page: 2/5

Hazardous constituents:

Chemical Name	% (w/w)	CAS No. EC No.	Classification according to GHS	
CITRAL	≥50	5392-40-5 226-394-6	Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1 - H317 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401	

See the full text of the hazard statements in section 16.

3.2. Mixtures

Not applicable.

4. FIRST-AID MEASURES

4.1. Description of necessary first aid measures

Rinse mouth with water. Ingestion:

Obtain medical advice.

Keep at rest. Do not induce vomiting.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.

Inhalation: Remove person to fresh air and keep at rest.

Seek immediate medical advice.

Take off immediately all contaminated clothing. Skin contact:

Thoroughly wash affected skin with soap and water. Seek medical attention if symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam.

For safety reasons do not use full water jet.

5.2. Special hazards arising from the substance or mixture

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

5.3. Advice for firefighters

High temperatures can lead to high pressures inside closed containers.

Avoid inhalation of vapors that are created. Use appropriate respiratory protection.

Do not allow spillage of fire to be poured into drains or watercourses.

Wear self-contained breathing apparatus and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surronding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering. Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).

Place in covered containers using non-sparking tools and transport outdoors.

Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater).

Ventilate area and wash spill site after material pickup is complete.

6.4. Reference to other sections

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.



CITRAL FCC BASF

Revision date: 16-03-2023 Print Date: 20-04-2024 Version: 4.0/GHS/EN

Page: 3 / 5

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not store or handle this material near food or drinking water. Do not smoke. Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses.

Observe the rules of safety and hygiene at work.

Keep in the original container or an alternative made from a compatible material.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light.

Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges).

Keep away from incompatible materials (see section 10).

7.3. Specific end use(s)

No information available.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1. Control parameters

Components with occupational exposure limits:

Chemical Name	CAS No.	Norm.	8 hr.			15 min.		
Chemicat Name			J	ppm	mg/m³	13 111111.	ppm	mg/m³
CITRAL	5392-40-5	ES (España) 1	VLA-ED	5		VLA-EC		
		PL (Polska)	NDS		27	NDSCh		54

¹ Possibility of significant uptake though the skin.

8.2. Exposure controls

Measures should be taken to prevent materials from being splashed into the body.

Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

8.3. Individual protection measures, such as personal protective equipment

Chemical safety goggles are recommended. Wash contaminated goggles before reuse. Eye/Face protection: Hand Protection: Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.

Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks

involved.

Respiratory Protection: In case of insufficient ventilation, use suitable respiratory equipment.

Emissions from ventilation or process equipment should be checked to ensure they comply with environmental Environmental exposure controls:

protection legislation.

In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to

acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid

Colour: Conforms to standard Odour: Conforms to standard Odour the shold: Not determined pH: Not determined Melting point/freezing point: < -20°C

Boling point/boiling range (°C): 230°C (1013 hPa)

Flash point: 98°C

Evaporation rate: Not determined Flammability: Not determined Lower flammability/Explosive limit: Not determined Upper flammability/Explosive limit: Not determined < 1 mbar (50°C) Vapour pressure: Vapour Density: Not determined

Density: 0,883-0,893 g/mL (20°C) Relative density: 0,883-0,893 (20°C)

SOLUBILITY IN WATER: 0,42 g/L (25°C) Water solubility:

Solubility in other solvents: SOLUBLE IN ETHANOL. SOLUBLE 1:7 V/V IN ETHANOL 70%.

LOG POW 2,76 (25°C) Partition coefficient n-octanol/water:



CITRAL FCC BASF

Revision date: 16-03-2023 Print Date: 20-04-2024 Version: 4.0/GHS/EN

Page: 4 / 5

Auto-ignition temperature: Not determined Decomposition temperature: Not determined Viscosity, dynamic: Not determined Viscosity, kinematic: Not determined Explosive properties: Not determined Oxidising properties: NONE EXPECTED

10. STABILITY AND REACTIVITY

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to Avoid

Conditions to Avoid: Excessive heat, flame or other ignition sources.

10.5. Incompatible materials

Avoid contact with strong acids and bases and oxidizing agents.

10.6. Hazardous decomposition products

During combustion may form carbon monoxide and unidentified organic compounds.

11. TOXICOLOGICAL INFORMATION

Acute toxicity	Based on the data available, the criteria for classification are not met.			
	Experimental/calculated data:			
	· LD50(acute/oral): 6800 mg/kg. (Rat).			
	· LD50 (acute/dermal) : >2000 mg/kg. (Rat).			
Skin corrosion/irritation	Causes skin irritation.			
	Experimental/calculated data:			
	· Skin irritation : Irritant. (Rabbit).			
Serious eye damage/irritation	Causes serious eye irritation.			
	Experimental/calculated data:			
	· Eye irritation : Irritant. (Rabbit).			
Respiratory or skin sensitisation	May cause an allergic skin reaction.			
	Experimental/calculated data:			
	· Skin sensitization : Sensitizing.			
Germ cell mutagenicity	Based on the data available, the criteria for classification are not met.			
	Experimental/calculated data:			
	· Germ cell mutagenicity: Negative.			
Carcinogenicity	Based on the data available, the criteria for classification are not met.			
Reproductive toxicity	Based on the data available, the criteria for classification are not met.			
STOT-single exposure	Based on the data available, the criteria for classification are not met.			
STOT-repeated exposure	Based on the data available, the criteria for classification are not met.			
Aspiration hazard	Based on the data available, the criteria for classification are not met.			

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Assessment:

Toxic to aquatic life.

Experimental/calculated data:

- · Toxicity for fish: LC50 (96h): 6,8 mg/L. (Leuciscus idus).
- · Toxicity for aquatic invertebrates: EC50 (48h): 7 mg/L. (Daphnia magna).
- · Toxicity for algae: ErC50 (72h): 103,8 mg/L. (Scenedesmus subspicatus).
- · Toxicity for bacteria/effect on activated sludge: EC50 (0.5h): 2100 mg/L. (Pseudomonas putida).

EC20 (0.5h): 68 mg/L.

12.2. Persistence and degradability

Biodegradation: > 88%. (OECD 301 C). The product is readily biodegradable



CITRAL FCC BASF

Revision date: 16-03-2023 Print Date: 20-04-2024 Version: 4.0/GHS/EN

Page: 5 / 5

12.3. Bioaccumulative potential

log Kow: 2,76.

12.4. Soil mobility

No information available.

12.5. Other adverse effects

See also sections 6, 7, 13 and 15 Do not allow to get into waste water or waterways.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of in accordance with national and local environmental regulations.

14. TRANSPORT INFORMATION

	ADR/RID/ADN	IMDG	IATA-ICAO	
14.1. UN Number	Not classified as hazardous goods	Not classified as hazardous goods	Not classified as hazardous goods	
14.2. UN Proper Shipping Name	Not applicable	Not applicable	Not applicable	
14.3. Transport Hazard Class(es)	Not applicable	Not applicable	Not applicable	
14.4. Packing Group	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards	No	No	No	
Additional information				

14.6 Special precautions for user

None known

14.7. Maritime transport in bulk according to IMO instruments

No information available

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No information available

16. OTHER INFORMATION

Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H401 - Toxic to aquatic life.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.