

## **LIME OIL, COLD PRESSED**

Revision date: 04-04-2023 Print Date: 20-04-2024 Version: 4.0/GHS/EN

Page: 1 / 6

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

## 1.1. Identification of the substance/mixture

**Trade name: LIME OIL, COLD PRESSED** Substance name: LIME OIL

CAS Number: 90063-52-8, 8008-26-2

**CF Number:** 290-010-3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances and/or flavourings.

## 1.3. Details of the supplier of the safety data sheet

**Ernesto Ventós SA** Company:

Address: Carretera Real, 120 B

08960 Sant Just Desvern - Barcelona - SPAIN

Telephone: (00 34) 934 706 210 (00 34) 934 733 010 Fax: E-mail: info@ventos.com

#### 1.4. Emergency telephone number

NCEC (+44) 1865 407333 (24h) NCEC (+34) 91 114 2520 (24h) (ES)

NCEC (+1) 202 464 2554 (24h) (USA, Canada)

## 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1 - H317 Toxic to reproduction - Category 2 - H361 Aspiration hazard - Category 1 - H304

Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411

#### 2.2. Label Elements

#### **Hazard pictograms:**









#### Signal Word:

Danger

## **Hazard statements:**

H226 - Flammable liquid and vapour.

H304 – May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 – May cause an allergic skin reaction.

H361 – Suspected of damaging fertility or the unborn child.

H411 - Toxic to aquatic life with long lasting effects.

## **Precautionary statements:**

P210 – Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

P302+P352+P333+P313 – IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.



# LIME OIL, COLD PRESSED

## 2.3. Other hazards

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1. Substances

Chemical name: LIME OIL

CAS number: 90063-52-8, 8008-26-2

EC number: 290-010-3

#### **Hazardous constituents:**

Chemical Name	% (w/w)	CAS No. EC No.	Classification according to GHS	
LIMONENE	≥50	138-86-3 205-341-0	Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 3 - H412	
GAMMA-TERPINENE	≥10; <25	99-85-4 202-794-6	Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 5 (oral) - H303 Toxic to reproduction - Category 2 - H361 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411	
BETA-PINENE	≥10; <25	127-91-3 204-872-5	Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410	
CITRAL	≥1; <10	5392-40-5 226-394-6	Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1 - H317 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401	
ALPHA-PINENE	≥1; <10	80-56-8 201-291-9	Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 4 (oral) - H302 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410	
L-BETA-BISABOLENE	≥1; <10	495-61-4 NOT LISTED	Acute Toxicity - Category 4 (inhalation) - H332 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411	
MYRCENE	≥1; <10	123-35-3 204-622-5	Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411	
EUCALYPTOL	≥1;<10	470-82-6 207-431-5	Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 5 (oral) - H303 Eye Irritant - Category 2B - H320 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402	
NERYL ACETATE	≥1; <10	141-12-8 205-459-2	Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401	

See the full text of the hazard statements in section 16.

## 3.2. Mixtures

Not applicable.



## **LIME OIL, COLD PRESSED**

Revision date: 04-04-2023 Print Date: 20-04-2024 Page: 3 / 6

Version: 4.0/GHS/EN

## 4. FIRST-AID MEASURES

#### 4.1. Description of necessary first aid measures

Rinse mouth with water. Ingestion:

Obtain medical advice.

Keep at rest. Do not induce vomiting.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.

Remove person to fresh air and keep at rest. Inhalation:

Seek immediate medical advice.

Skin contact: Take off immediately all contaminated clothing.

Thoroughly wash affected skin with soap and water.

Seek medical attention if symptoms persist.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

#### **5. FIRE-FIGHTING MEASURES**

#### 5.1. Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam.

For safety reasons do not use full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

#### 5.3. Advice for firefighters

High temperatures can lead to high pressures inside closed containers.

Avoid inhalation of vapors that are created. Use appropriate respiratory protection.

Do not allow spillage of fire to be poured into drains or watercourses.

Wear self-contained breathing apparatus and protective clothing.

# **6. ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surronding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering. Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

#### 6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

#### 6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).

Place in covered containers using non-sparking tools and transport outdoors.

Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater).

Ventilate area and wash spill site after material pickup is complete.

#### 6.4. Reference to other sections

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.

## 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Do not store or handle this material near food or drinking water. Do not smoke.

Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses.

Observe the rules of safety and hygiene at work.

Keep in the original container or an alternative made from a compatible material.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light.

Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges).

Keep away from incompatible materials (see section 10).

## 7.3. Specific end use(s)

No information available.



## **LIME OIL, COLD PRESSED**

Revision date: 04-04-2023 Print Date: 20-04-2024 Version: 4.0/GHS/EN Page: 4 / 6

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

## 8.1. Control parameters

Components with occupational exposure limits:

Chemical Name	CAS No.	Norm.	8 hr.			15 min.		
Chemicat Name			0	ppm	mg/m³	13 111111.	ppm	mg/m³
BETA-PINENE	127-91-3	ES (España)	VLA-ED	20	113	VLA-EC		
ALPHA-PINENE	80-56-8	ES (España)	VLA-ED	20	113	VLA-EC		
CITRAL	5392-40-5	ES (España) 1	VLA-ED	5		VLA-EC		
		PL (Polska)	NDS		27	NDSCh		54

<sup>&</sup>lt;sup>1</sup> Possibility of significant uptake though the skin.

#### 8.2. Exposure controls

Colour:

Measures should be taken to prevent materials from being splashed into the body.

Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

## 8.3. Individual protection measures, such as personal protective equipment

Eye/Face protection: Chemical safety goggles are recommended. Wash contaminated goggles before reuse. Hand Protection: Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.

Conforms to standard

Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks

involved.

Respiratory Protection: In case of insufficient ventilation, use suitable respiratory equipment.

Environmental exposure controls: Emissions from ventilation or process equipment should be checked to ensure they comply with environmental

protection legislation.

In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to

acceptable levels.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid

Conforms to standard Odour: Odour the shold: Not determined pH: Not determined Melting point/freezing point: Not determined Boling point/boiling range (°C): Not determined Flash point: 50 °C Evaporation rate: Not determined Not determined Flammability: Lower flammability/Explosive limit: Not determined Upper flammability/Explosive limit: Not determined Vapour pressure: Not determined Vapour Density: Not determined Density: 0,865-0,88 g/mL (20°C) Relative density: 0.865-0.88 (20°C)

Water solubility: **INSOLUBLE IN WATER** Solubility in other solvents: SOLUBLE IN ETHANOL Partition coefficient n-octanol/water: Not determined Auto-ignition temperature: Not determined Decomposition temperature: Not determined Viscosity, dynamic: Not determined Viscosity, kinematic: Not determined Not determined Explosive properties: Oxidising properties: NONE EXPECTED

## 10. STABILITY AND REACTIVITY

## 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.



## **LIME OIL, COLD PRESSED**

#### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.4. Conditions to Avoid

Conditions to Avoid: Excessive heat, flame or other ignition sources.

#### 10.5. Incompatible materials

Avoid contact with strong acids and bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

During combustion may form carbon monoxide and unidentified organic compounds.

#### 11. TOXICOLOGICAL INFORMATION

Acute toxicity	Based on the data available, the criteria for classification are not met.			
Skin corrosion/irritation	Causes skin irritation.			
Serious eye damage/irritation	Based on the data available, the criteria for classification are not met.  Experimental/calculated data:  Eye irritation: Non-irritant.  The product has not been tested. The indication has been derived from substances or products of similar structur or composition.			
Respiratory or skin sensitisation	May cause an allergic skin reaction.			
Germ cell mutagenicity	Based on the data available, the criteria for classification are not met.			
Carcinogenicity	Based on the data available, the criteria for classification are not met.			
Reproductive toxicity	Suspected of damaging fertility or the unborn child.			
STOT-single exposure	Based on the data available, the criteria for classification are not met.			
STOT-repeated exposure	Based on the data available, the criteria for classification are not met.			
Aspiration hazard	May be fatal if swallowed and enters airways.			

## 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity

#### **Assessment:**

Toxic to aquatic life with long lasting effects.

## Experimental/calculated data:

- · Toxicity for fish: LC50 (96h) : >18 mg/L. (Oncorhynchus mykiss). (OECD 203).
- · Toxicity for aquatic invertebrates: EC50 (48h): 5.0 mg/L. (Daphnia magna). (OECD 202).
- · Toxicity for algae: ErC50 (72h): 8.0 mg/L. (Pseudokirchneriella subcapitata). (OECD 201).

# 12.2. Persistence and degradability

The product is readily biodegradable

The product has not been tested. The indication has been derived from the properties of its individual components.

## 12.3. Bioaccumulative potential

No information available.

#### 12.4. Soil mobility

No information available.

#### 12.5. Other adverse effects

See also sections 6, 7, 13 and 15

Do not allow to get into waste water or waterways.

# 13. DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

Dispose of in accordance with national and local environmental regulations.



## **LIME OIL, COLD PRESSED**

## 14. TRANSPORT INFORMATION

	ADR/RID/ADN	IMDG	IATA-ICAO
14.1. UN Number	UN1197	UN1197	UN1197
14.2. UN Proper Shipping Name	EXTRACTS, LIQUID	EXTRACTS, LIQUID (LIMONENE)	EXTRACTS, LIQUID
14.3. Transport Hazard Class(es)	3	3	3
14.4. Packing Group	III	III	III
14.5. Environmental hazards	Yes	Yes	Yes
Additional information			

#### 14.6 Special precautions for user

None known

#### 14.7. Maritime transport in bulk according to IMO instruments

No information available

#### 15. REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No information available

#### **16. OTHER INFORMATION**

#### Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:

H226 - Flammable liquid and vapour.

H302 - Harmful if swallowed.

H303 - May be harmful if swallowed.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 – May cause an allergic skin reaction.

H319 – Causes serious eye irritation.

H320 – Causes eye irritation.

H332 – Harmful if inhaled.

H361 - Suspected of damaging fertility or the unborn child.

H400 – Very toxic to aquatic life.

H401 – Toxic to aquatic life.

H402 – Harmful to aquatic life.

H410 – Very toxic to aquatic life with long lasting effects.

H411 – Toxic to aquatic life with long lasting effects.

H412 – Harmful to aquatic life with long lasting effects.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.