

**BENZYL ACETATE**

Revision date: 06-03-2024  
Version: 4.0/GHS/EN

Print Date: 19-04-2024  
Page: 1 / 5

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

### 1.1. Identification of the substance/mixture

**Trade name:** BENZYL ACETATE  
**Substance name:** BENZYL ACETATE  
**CAS Number:** 140-11-4  
**CE Number:** 205-399-7

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances and/or flavourings.

### 1.3. Details of the supplier of the safety data sheet

**Company:** Ernesto Ventós SA  
**Address:** Carretera Real, 120 B  
08960 Sant Just Desvern – Barcelona – SPAIN  
**Telephone:** (00 34) 934 706 210  
**Fax:** (00 34) 934 733 010  
**E-mail:** info@ventos.com

### 1.4. Emergency telephone number

NCEC (+44) 1865 407333 (24h)  
NCEC (+34) 91 114 2520 (24h) (ES)  
NCEC (+1) 202 464 2554 (24h) (USA, Canada)

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Flammable Liquids - Category 4 - H227  
Acute Toxicity - Category 5 (oral) - H303  
Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401  
Hazardous to the aquatic environment, long-term (chronic) - Category 3 - H412

### 2.2. Label Elements

**Signal Word:**  
Warning

#### Hazard statements:

H227 – Combustible liquid.  
H303 – May be harmful if swallowed.  
H401 – Toxic to aquatic life.  
H412 – Harmful to aquatic life with long lasting effects.

#### Precautionary statements:

P210 – Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P273 – Avoid release to the environment.  
P280 – Wear protective gloves/protective clothing/eye protection/face protection.  
P312 – Call a POISON CENTER or doctor/physician if you feel unwell.  
P370+P378 – In case of fire: Use carbon dioxide, foam, dry powder or water spray for extinction.  
P403 – Store in a well-ventilated place.

### 2.3. Other hazards

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

**Chemical name:** BENZYL ACETATE  
**CAS number:**  
**EC number:** 205-399-7

#### Hazardous constituents:

Chemical Name	% (w/w)	CAS No. EC No.	Classification according to GHS
BENZYL ACETATE	≥50	140-11-4 205-399-7	Acute Toxicity - Category 5 (oral) - H303 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 3 - H412

See the full text of the hazard statements in section 16.

**BENZYL ACETATE**

Revision date: 06-03-2024

Version: 4.0/GHS/EN

Print Date: 19-04-2024

Page: 2 / 5

**3.2. Mixtures**

Not applicable.

**4. FIRST-AID MEASURES**

**4.1. Description of necessary first aid measures**

Ingestion:	Rinse mouth with water. Obtain medical advice. Keep at rest. Do not induce vomiting.
Eye contact:	In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.
Inhalation:	Remove person to fresh air and keep at rest. Seek immediate medical advice.
Skin contact:	Take off immediately all contaminated clothing. Thoroughly wash affected skin with soap and water. Seek medical attention if symptoms persist.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No information available.

**5. FIRE-FIGHTING MEASURES**

**5.1. Extinguishing Media**

Water spray, carbon dioxide, dry chemical powder or appropriate foam.

For safety reasons do not use full water jet.

**5.2. Special hazards arising from the substance or mixture**

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

**5.3. Advice for firefighters**

High temperatures can lead to high pressures inside closed containers.

Avoid inhalation of vapors that are created. Use appropriate respiratory protection.

Do not allow spillage of fire to be poured into drains or watercourses.

Wear self-contained breathing apparatus and protective clothing.

**6. ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate surrounding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering.

Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

**6.2. Environmental precautions**

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

**6.3. Methods and materials for containment and cleaning up**

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).

Place in covered containers using non-sparking tools and transport outdoors.

Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater).

Ventilate area and wash spill site after material pickup is complete.

**6.4. Reference to other sections**

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.

**7. HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Do not store or handle this material near food or drinking water. Do not smoke.

Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses.

Observe the rules of safety and hygiene at work.

Keep in the original container or an alternative made from a compatible material.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light.

Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges).

Keep away from incompatible materials (see section 10).

**BENZYL ACETATE**

Revision date: 06-03-2024  
Version: 4.0/GHS/EN

Print Date: 19-04-2024  
Page: 3 / 5

**7.3. Specific end use(s)**

No information available.

**8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**

**8.1. Control parameters**

Components with occupational exposure limits:

Chemical Name	CAS No.	Norm.	8 hr.			15 min.		
				ppm	mg/m <sup>3</sup>		ppm	mg/m <sup>3</sup>
BENZYL ACETATE	140-11-4	ES (España)	VLA-ED	10	62	VLA-EC		
		Cal OSHA	PEL-TWA	10	61	PEL-STEL		

**8.2. Exposure controls**

Measures should be taken to prevent materials from being splashed into the body.  
Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

**8.3. Individual protection measures, such as personal protective equipment**

Eye/Face protection: Chemical safety goggles are recommended. Wash contaminated goggles before reuse.  
Hand Protection: Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.  
Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved.  
Respiratory Protection: In case of insufficient ventilation, use suitable respiratory equipment.  
Environmental exposure controls: Emissions from ventilation or process equipment should be checked to ensure they comply with environmental protection legislation.  
In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Liquid  
Colour: Conforms to standard  
Odour: Conforms to standard  
Odour threshold: Not determined  
pH: Not determined  
Melting point/freezing point: CA. -51°C  
Boiling point/boiling range (°C): APROX. 217  
Flash point: 91 °C  
Evaporation rate: Not determined  
Flammability: Not determined  
Lower flammability/Explosive limit: Not determined  
Upper flammability/Explosive limit: Not determined  
Vapour pressure: 0,15 mbar (25°C)  
Vapour Density: 5,1 (AIR = 1)  
Density: 1,05–1,06 g/mL (20°C)  
Relative density: 1,05–1,06 (20°C)  
Water solubility: SLIGHTLY SOLUBLE IN WATER  
Solubility in other solvents: SOLUBLE IN ETHANOL  
Partition coefficient n-octanol/water: Not determined  
Auto-ignition temperature: 460°C  
Decomposition temperature: Not determined  
Viscosity, dynamic: Not determined  
Viscosity, kinematic: Not determined  
Explosive properties: Not determined  
Oxidising properties: NONE EXPECTED

**10. STABILITY AND REACTIVITY**

**10.1. Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

**10.2. Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

**BENZYL ACETATE**

Revision date: 06-03-2024  
Version: 4.0/GHS/EN

Print Date: 19-04-2024  
Page: 4 / 5

**10.3. Possibility of hazardous reactions**

No hazardous reactions if stored and handled as prescribed/indicated.

**10.4. Conditions to Avoid**

Conditions to Avoid: Excessive heat, flame or other ignition sources.

**10.5. Incompatible materials**

Avoid contact with strong acids and bases and oxidizing agents.

**10.6. Hazardous decomposition products**

During combustion may form carbon monoxide and unidentified organic compounds.

**11. TOXICOLOGICAL INFORMATION**

<b>Acute toxicity</b>	May be harmful if swallowed.
<b>Skin corrosion/irritation</b>	Based on the data available, the criteria for classification are not met.
<b>Serious eye damage/irritation</b>	Based on the data available, the criteria for classification are not met.
<b>Respiratory or skin sensitisation</b>	Based on the data available, the criteria for classification are not met.
<b>Germ cell mutagenicity</b>	Based on the data available, the criteria for classification are not met.
<b>Carcinogenicity</b>	Based on the data available, the criteria for classification are not met.
<b>Reproductive toxicity</b>	Based on the data available, the criteria for classification are not met.
<b>STOT-single exposure</b>	Based on the data available, the criteria for classification are not met.
<b>STOT-repeated exposure</b>	Based on the data available, the criteria for classification are not met.
<b>Aspiration hazard</b>	Based on the data available, the criteria for classification are not met.

**12. ECOLOGICAL INFORMATION**

**12.1. Toxicity**

**Assessment:**

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

**Experimental/calculated data:**

No information available.

**12.2. Persistence and degradability**

The product is readily biodegradable

Evidence.

Biodegradation : 100. (OECD 301 B).

Evidence.

**12.3. Bioaccumulative potential**

No information available.

**12.4. Soil mobility**

No information available.

**12.5. Other adverse effects**

See also sections 6, 7, 13 and 15

Do not allow to get into waste water or waterways.

**13. DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

Dispose of in accordance with national and local environmental regulations.

**14. TRANSPORT INFORMATION**

	<b>ADR/RID/ADN</b>	<b>IMDG</b>	<b>IATA-ICAO</b>
<b>14.1. UN Number</b>	Not classified as hazardous goods	Not classified as hazardous goods	Not classified as hazardous goods
<b>14.2. UN Proper Shipping Name</b>	Not applicable	Not applicable	Not applicable
<b>14.3. Transport Hazard Class(es)</b>	Not applicable	Not applicable	Not applicable
<b>14.4. Packing Group</b>	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>	No	No	No
<b>Additional information</b>			

**14.6 Special precautions for user**

None known

**14.7. Maritime transport in bulk according to IMO instruments**

No information available

**15. REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

No information available

**16. OTHER INFORMATION**

**Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:**

H303 – May be harmful if swallowed.

H401 – Toxic to aquatic life.

H412 – Harmful to aquatic life with long lasting effects.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.