

Revision date: 20-07-2021 Version: 3.6/GHS/EN

Print Date: 19-04-2024 Page: 1 / 6

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

#### 1.1. Identification of the substance/mixture

Trade name: Substance name: CAS Number: **CF Number:** 

**TUBEROSE ABSOLUTE** TUBEROSE ABSOLUTE 94334-35-7, 8024-05-3 305-108-4

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances and/or flavourings.

#### 1.3. Details of the supplier of the safety data sheet

Company:	Ernesto Ventós SA
Address:	Carretera Real, 120 B
	08960 Sant Just Desvern – Barcelona – SPAIN
Telephone:	(00 34) 934 706 210
Fax:	(00 34) 934 733 010
E-mail:	info@ventos.com

#### 1.4. Emergency telephone number

NCEC (+44) 1865 407333 (24h) NCEC (+34) 91 114 2520 (24h) (ES) NCEC (+1) 202 464 2554 (24h) (USA, Canada)

## 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Flammable Liquids - Category 4 - H227 Acute Toxicity - Category 4 (oral) - H302 Skin Irritant - Category 3 - H316 Serious eye damage - Category 1 - H318 Skin sensitizer - Category 1A - H317 Germ cell mutagenicity - Category 2 - H341 Carcinogenicity - Category 2 - H351 Toxic to reproduction - Category 2 - H361 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 3 - H412

#### 2.2. Label Elements



Signal Word: Danger

#### Hazard statements:

- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H316 Causes mild skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H401 Toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements:**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352+P333+P313 – IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.



Revision date: 20-07-2021 Version: 3.6/GHS/EN Print Date: 19-04-2024 Page: 2 / 6

## 2.3. Other hazards

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1. Substances

Chemical	name:
CAS numl	ber:
EC numb	er:

TUBEROSE ABSOLUTE 94334-35-7, 8024-05-3 305-108-4

#### Hazardous constituents:

Chemical Name	% (w/w)	CAS No. EC No.	Classification according to GHS		
METHYL BENZOATE	≥50	93-58-3 202-259-7	Flammable Liquids - Category 4 - H227 Acute Toxicity - Category 4 (oral) - H302 Skin Irritant - Category 3 - H316		
BENZYL BENZOATE	≥1; <10	120-51-4 204-402-9	Acute Toxicity - Category 4 (oral) - H302 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411		
METHYL SALICYLATE	≥1; <10	119-36-8 204-317-7	Acute Toxicity - Category 4 (oral) - H302 Serious eye damage - Category 1 - H318 Skin sensitizer - Category 1B - H317 Toxic to reproduction - Category 2 - H361 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402 Hazardous to the aquatic environment, long-term (chronic) - Category 3 - H412		
BENZYL SALICYLATE	≥1; <10	118-58-1 204-262-9	Acute Toxicity - Category 5 (oral) - H303 Eye Irritant - Category 2B - H320 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 3 - H412		
ETHANOL	≥1;<10	64-17-5 200-578-6	Flammable Liquids - Category 2 - H225 Eve Irritant - Category 2A - H319		
2,3-BENZOPYRROLE	≥1; <10	120-72-9 204-420-7	Eye Irritant - Category 2A - H319 Acute Toxicity - Category 3 (dermal) - H311 Acute Toxicity - Category 4 (oral) - H302 Serious eye damage - Category 1 - H318 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401		
METHYL EUGENOL	≥1; <10	93-15-2 202-223-0	Acute Toxicity - Category 4 (oral) - H302 Germ cell mutagenicity - Category 2 - H341 Carcinogenicity - Category 2 - H351 Hazardous to the aquatic environment, short-term (acute) - Cat <mark>egory 2 - H401</mark>		
ISOEUGENOL	≥1; <10	97-54-1 202-590-7	Acute Toxicity - Category 4 (oral) - H302 Acute Toxicity - Category 4 (dermal) - H312 Acute Toxicity - Category 4 (inhalation) - H332 Skin Irritant - Category 2 - H315		
LINALOOL	≥0.1; <1	78-70-6 201-134-4	Flammable Liquids - Category 4 - H227 Acute Toxicity - Category 5 (oral) - H303 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402		
GERANIOL	≥0.1; <1	106-24-1 203-377-1	Acute Toxicity - Category 5 (oral) - H303 Skin Irritant - Category 2 - H315 Serious eye damage - Category 1 - H318 Skin sensitizer - Category 1 - H317 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402		
FARNESOL	≥0.1; <1	4602-84-0 225-004-1	Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410		



## SAFETY DATA SHEET Conforms to the requirements of the Global Harmonized System (GHS)

# TUBEROSE ABSOLUTE

Revision date: 20-07-2021 Version: 3.6/GHS/EN Print Date: 19-04-2024 Page: 3 / 6

EUGENOL	≥0.1; <1	97-53-0 202-589-1	Acute Toxicity - Category 5 (oral) - H303 Skin Irritant - Category 3 - H316 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401
BENZYL CINNAMATE			
BETA-CARYOPHYLLENE	≥0.1; <1	87-44-5 201-746-1	Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304

See the full text of the hazard statements in section 16.

# 3.2. Mixtures

Not applicable.

## 4. FIRST-AID MEASURES

## 4.1. Description of necessary first aid measures

Ingestion:	Rinse mouth with water.
-	Obtain medical advice.
	Keep at rest. Do not induce vomiting.
Eye contact:	In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.
Inhalation:	Remove person to fresh air and keep at rest.
	Seek immediate medical advice.
Skin contact:	Take off immediately all contaminated clothing.
	Thoroughly wash affected skin with soap and water.
	Seek medical attention if symptoms persist.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## **5. FIRE-FIGHTING MEASURES**

## 5.1. Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam. For safety reasons do not use full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

#### 5.3. Advice for firefighters

High temperatures can lead to high pressures inside closed containers. Avoid inhalation of vapors that are created. Use appropriate respiratory protection. Do not allow spillage of fire to be poured into drains or watercourses. Wear self-contained breathing apparatus and protective clothing.

## **6. ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surronding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering.

Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

#### 6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

#### 6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash). Place in covered containers using non-sparking tools and transport outdoors. Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater). Ventilate area and wash spill site after material pickup is complete.

#### 6.4. Reference to other sections

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.



Revision date: 20-07-2021 Version: 3.6/GHS/EN Print Date: 19-04-2024 Page: 4 / 6

## 7. HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Do not store or handle this material near food or drinking water. Do not smoke. Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses. Observe the rules of safety and hygiene at work. Keep in the original container or an alternative made from a compatible material.

# 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light. Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges). Keep away from incompatible materials (see section 10).

#### 7.3. Specific end use(s)

No information available.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### 8.1. Control parameters

Components with occupational exposure limits:

Chemical Name	CAS No.	Norm.	8 hr.			15 min.			
Chemical Name	CAS NO.		0	ppm	mg/m <sup>3</sup>		ppm	mg/m <sup>3</sup>	
		DE (Deutschland)	AGW	200	380	AGW			
		ES (España)	VLA-ED			VLA-EC	1	1.91	
ETHANOL	64-17-5	FR (France)	VME	1000	1900	VLCT	5000	9500	
	UK (United Kingdom)	Workplace exposure limit	1000	1920	Workplace exposure limit				
		OSHA	PEL-TWA	1000	1900	PEL-STEL			
		Cal OSHA	PEL-TWA	1000	1900	PEL-STEL			

#### 8.2. Exposure controls

Measures should be taken to prevent materials from being splashed into the body.

Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

#### 8.3. Individual protection measures, such as personal protective equipment

•	· · · · · · · · · · · · · · · · · · ·	
Eye/Face protection:	Chemical safety goggles are recommended. Wash contaminated goggles before reuse.	
Hand Protection:	Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.	
Body protection:	Personal protective equipment for the body should be selected based on the task being performed and the risk involved.	5
Deen ivete v. Dvete etie v.		
Respiratory Protection:	In case of insufficient ventilation, use suitable respiratory equipment.	
Environmental exposure controls:	Emissions from ventilation or process equipment should be checked to ensure they comply with environmental protection legislation.	ı
	the second se	

In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	
Colour:	
Odour:	
Odour theshold:	
pH:	
Melting point/freezing point:	
Boling point/boiling range (°C):	
Flash point:	
Evaporation rate:	
Flammability:	
Lower flammability/Explosive limit:	
Upper flammability/Explosive limit:	
Vapour pressure:	
Vapour Density:	

Conforms to standard Conforms to standard Not determined Not determined Not determined 90 °C Not determined Not determined Not determined Not determined Not determined Not determined Not determined

Liquid



Revision date: 20-07-2021 Version: 3.6/GHS/EN Print Date: 19-04-2024 Page: 5 / 6

- Density: Relative density: Water solubility: Solubility in other solvents: Partition coefficient n-octanol/water: Auto-ignition temperature: Decomposition temperature: Viscosity, dynamic: Viscosity, kinematic: Explosive properties: Oxidising properties:
- 0,932-0,98 g/mL (20°C) 0,932-0,98 (20°C) INSOLUBLE IN WATER SOLUBLE IN ETHANOL Not determined Not determined Not determined Not determined Not determined Not determined NONE EXPECTED

## **10. STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.4. Conditions to Avoid

Conditions to Avoid: Excessive heat, flame or other ignition sources.

#### 10.5. Incompatible materials

Avoid contact with strong acids and bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

During combustion may form carbon monoxide and unidentified organic compounds.

## **11. TOXICOLOGICAL INFORMATION**

Acute toxicity	Harmful if swallowed.	
Skin corrosion/irritation	Causes mild skin irritation.	
Serious eye damage/irritation	Causes serious eye damage.	
Respiratory or skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	Suspected of causing genetic defects.	
Carcinogenicity	Suspected of causing cancer.	
Reproductive toxicity	Suspected of damaging fertility or the unborn child.	
STOT-single exposure	Based on the data available, the criteria for classification are not met.	
STOT-repeated exposure	Based on the data available, the criteria for classification are not met.	
Aspiration hazard	Based on the data available, the criteria for classification are not met.	

## **12. ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

Assessment: Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Experimental/calculated data:

No information available.

#### **12.2. Persistence and degradability** No information available.

No information availabl

# **12.3. Bioaccumulative potential** No information available.

12.4. Soil mobility

# No information available.

#### 12.5. Other adverse effects

See also sections 6, 7, 13 and 15 Do not allow to get into waste water or waterways.



Revision date: 20-07-2021 Version: 3.6/GHS/EN Print Date: 19-04-2024 Page: 6 / 6

## **13. DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Dispose of in accordance with national and local environmental regulations.

#### **14. TRANSPORT INFORMATION**

	ADR/RID/ADN	IMDG	IATA-ICAO
14.1. UN Number	Not classified as hazardous goods	Not classified as hazardous goods	Not classified as hazardous goods
14.2. UN Proper Shipping Name	Not applicable	Not applicable	Not applicable
14.3. Transport Hazard Class(es)	Not applicable	Not applicable	Not applicable
14.4. Packing Group	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards	No	No	No
Additional information			

## 14.6 Special precautions for user

None known

#### 14.7. Maritime transport in bulk according to IMO instruments

No information available

## **15. REGULATORY INFORMATION**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture** No information available

#### **16. OTHER INFORMATION**

#### Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:

H225 – Highly flammable liquid and vapour.

- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H303 May be harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin. H315 – Causes skin irritation.
- H316 Causes mild skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H320 Causes eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H401 Toxic to aquatic life.
- H402 Harmful to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.