

## ELEMI OIL

Revision date: 24-01-2024 Version: 4.1/GHS/EN

Print Date: 20-04-2024 Page: 1 / 6

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

## 1.1. Identification of the substance/mixture

| Trade name:     |  |
|-----------------|--|
| Substance name: |  |
| CAS Number:     |  |
| CE Number:      |  |

ELEMI OIL ELEMI OIL 9000-75-3, 232-557-2

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances and/or flavourings.

## 1.3. Details of the supplier of the safety data sheet

| Company:<br>Address: | Ernesto Ventós SA<br>Carretera Real. 120 B  |
|----------------------|---|
|                      | 08960 Sant Just Desvern – Barcelona – SPAIN |
| Telephone:           | (00 34) 934 706 210                         |
| Fax:                 | (00 34) 934 733 010                         |
| E-mail:              | info@ventos.com                             |
|                      |   |

#### 1.4. Emergency telephone number

NCEC (+44) 1865 407333 (24h) NCEC (+34) 91 114 2520 (24h) (ES) NCEC (+1) 202 464 2554 (24h) (USA, Canada)

## 2. HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 5 (oral) - H303 Acute Toxicity - Category 5 (dermal) - H313 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1 - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411

## 2.2. Label Elements



Signal Word: Danger

#### Hazard statements:

- H226 Flammable liquid and vapour.
- H303 May be harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H313 May ne harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements:**

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P310+P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
- P302+P352+P333+P313 IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. P312 Call a POISON CENTER or doctor/physician if you feel unwell.



# ELEMI OIL

Revision date: 24-01-2024 Version: 4.1/GHS/EN Print Date: 20-04-2024 Page: 2 / 6

## 2.3. Other hazards

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1. Substances

| Chemical name: | ELEMI OIL  |
|----------------|------------|
| CAS number:    | 9000-75-3, |
| EC number:     | 232-557-2  |

#### Hazardous constituents:

| Chemical Name      | % (w/w)  | CAS No.<br>EC No.     | Classification according to GHS  |  |  |  |  |
|--------------------|----------|-----------------------|--|--|--|--|--|
| LIMONENE           | ≥50      | 138-86-3<br>205-341-0 | Flammable Liquids - Category 3 - H226<br>Skin Irritant - Category 2 - H315<br>Skin sensitizer - Category 1B - H317<br>Aspiration hazard - Category 1 - H304<br>Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400<br>Hazardous to the aquatic environment, long-term (chronic) - Category 3 - H412   |  |  |  |  |
| ALPHA-PHELLANDRENE | ≥10; <25 | 99-83-2<br>202-792-5  | Flammable Liquids - Category 3 - H226<br>Skin sensitizer - Category 1 - H317<br>Aspiration hazard - Category 1 - H304<br>Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400<br>Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410   |  |  |  |  |
| TERPINEOL          | ≥1; <10  | 98-55-5<br>202-680-6  | Flammable Liquids - Category 4 - H227<br>Acute Toxicity - Category 5 (oral) - H303<br>Skin Irritant - Category 2 - H315<br>Eye Irritant - Category 2A - H319<br>Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401   |  |  |  |  |
| PARA-CYMENE        | ≥1;<10   | 99-87-6<br>202-796-7  | Flammable Liquids - Category 3 - H226<br>Acute Toxicity - Category 3 (inhalation) - H331<br>Acute Toxicity - Category 5 (oral) - H303<br>Toxic to reproduction - Category 2 - H361<br>Aspiration hazard - Category 1 - H304<br>Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401<br>Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411 |  |  |  |  |
| TERPINOLENE        | ≥1; <10  | 586-62-9<br>209-578-0 | Flammable Liquids - Category 4 - H227<br>Acute Toxicity - Category 5 (oral) - H303<br>Skin Irritant - Category 3 - H316<br>Skin sensitizer - Category 1B - H317<br>Aspiration hazard - Category 1 - H304<br>Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400<br>Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410                    |  |  |  |  |
| BETA-PINENE        | ≥0.1; <1 | 127-91-3<br>204-872-5 | Flammable Liquids - Category 3 - H226<br>Skin Irritant - Category 2 - H315<br>Skin sensitizer - Category 1B - H317<br>Aspiration hazard - Category 1 - H304<br>Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400<br>Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410   |  |  |  |  |
| METHYL EUGENOL     | ≥0.1; <1 | 93-15-2<br>202-223-0  | Acute Toxicity - Category 4 (oral) - H302<br>Germ cell mutagenicity - Category 2 - H341<br>Carcinogenicity - Category 2 - H351<br>Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401   |  |  |  |  |
| GAMMA-TERPINENE    | ≥0.1; <1 | 99-85-4<br>202-794-6  | Flammable Liquids - Category 3 - H226<br>Acute Toxicity - Category 5 (oral) - H303<br>Toxic to reproduction - Category 2 - H361<br>Aspiration hazard - Category 1 - H304<br>Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401<br>Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411  |  |  |  |  |
| ALPHA-PINENE       | ≥0.1; <1 | 80-56-8<br>201-291-9  | Flammable Liquids - Category 3 - H226<br>Acute Toxicity - Category 4 (oral) - H302<br>Skin Irritant - Category 2 - H315<br>Skin sensitizer - Category 1B - H317<br>Aspiration hazard - Category 1 - H304<br>Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400<br>Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410                    |  |  |  |  |

See the full text of the hazard statements in section 16.



## ELEMI OIL

Revision date: 24-01-2024 Version: 4.1/GHS/EN Print Date: 20-04-2024 Page: 3 / 6

# 3.2. Mixtures

Not applicable.

## 4. FIRST-AID MEASURES

## 4.1. Description of necessary first aid measures

| Rinse mouth with water.   |
|---|
| Obtain medical advice.  |
| Keep at rest. Do not induce vomiting.   |
| In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice. |
| Remove person to fresh air and keep at rest.  |
| Seek immediate medical advice.  |
| Take off immediately all contaminated clothing.   |
| Thoroughly wash affected skin with soap and water.  |
| Seek medical attention if symptoms persist.   |
|   |

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## **5. FIRE-FIGHTING MEASURES**

## 5.1. Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam. For safety reasons do not use full water jet.

## 5.2. Special hazards arising from the substance or mixture

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

## **5.3. Advice for firefighters**

High temperatures can lead to high pressures inside closed containers. Avoid inhalation of vapors that are created. Use appropriate respiratory protection. Do not allow spillage of fire to be poured into drains or watercourses. Wear self-contained breathing apparatus and protective clothing.

## **6. ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surronding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering. Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

## 6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

## 6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash). Place in covered containers using non-sparking tools and transport outdoors. Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater). Ventilate area and wash spill site after material pickup is complete.

## 6.4. Reference to other sections

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.

## 7. HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Do not store or handle this material near food or drinking water. Do not smoke. Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses. Observe the rules of safety and hygiene at work. Keep in the original container or an alternative made from a compatible material.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light. Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges). Keep away from incompatible materials (see section 10).



## ELEMI OIL

Revision date: 24-01-2024 Version: 4.1/GHS/EN

Print Date: 20-04-2024 Page: 4 / 6

# 7.3. Specific end use(s)

No information available.

# 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

## 8.1. Control parameters

Components with occupational exposure limits:

| Chemical Name | CAS No.  | Norm.       | 8 hr.  |     |                   | 15 min.  |     |                   |
|---------------|----------|-------------|--------|-----|-------------------|----------|-----|-------------------|
| Chemical Name | CAS NO.  | Norm.       | 0111.  | ppm | mg/m <sup>3</sup> | 13 1111. | ppm | mg/m <sup>3</sup> |
| ALPHA-PINENE  | 80-56-8  | ES (España) | VLA-ED | 20  | 113               | VLA-EC   |     |                   |
| BETA-PINENE   | 127-91-3 | ES (España) | VLA-ED | 20  | 113               | VLA-EC   |     |                   |

#### 8.2. Exposure controls

Measures should be taken to prevent materials from being splashed into the body.

Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

## 8.3. Individual protection measures, such as personal protective equipment

| Eye/Face protection:<br>Hand Protection:<br>Body protection: | Chemical safety goggles are recommended. Wash contaminated goggles before reuse.<br>Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.<br>Personal protective equipment for the body should be selected based on the task being performed and the risks<br>involved  |
|--|---|
| Respiratory Protection:<br>Environmental exposure controls:  | In case of insufficient ventilation, use suitable respiratory equipment.<br>In case of insufficient ventilation or process equipment should be checked to ensure they comply with environmental<br>protection legislation.<br>In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to<br>acceptable levels. |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance:                            | Liquid                  |
|--|-------------------------|
| Colour:                                | Conforms to standard    |
| Odour:                                 | Conforms to standard    |
| Odour theshold:                        | Not determined          |
| pH:                                    | Not determined          |
| Melting point/freezing point:          | Not determined          |
| Boling point/boiling range (°C):       | Not determined          |
| Flash point:                           | 52 °C                   |
| Evaporation rate:                      | Not determined          |
| Flammability:                          | Not determined          |
| Lower flammability/Explosive limit:    | Not determined          |
| Upper flammability/Explosive limit:    | Not determined          |
| Vapour pressure:                       | Not determined          |
| Vapour Density:                        | Not determined          |
| Density:                               | 0,852-0,878 g/mL (20°C) |
| Relative density:                      | 0,852-0,878 (20°C)      |
| Water solubility:                      | INSOLUBLE IN WATER      |
| Solubility in other solvents:          | SOLUBLE IN ETHANOL      |
| Partition coefficient n-octanol/water: | Not determined          |
| Auto-ignition temperature:             | Not determined          |
| Decomposition temperature:             | Not determined          |
| Viscosity, dynamic:                    | Not determined          |
| Viscosity, kinematic:                  | Not determined          |
| Explosive properties:                  | Not determined          |
| Oxidising properties:                  | NONE EXPECTED           |
|  |                         |

## **10. STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.



## ELEMI OIL

Revision date: 24-01-2024 Version: 4.1/GHS/EN Print Date: 20-04-2024 Page: 5 / 6

## 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.4. Conditions to Avoid

Conditions to Avoid: Excessive heat, flame or other ignition sources.

#### 10.5. Incompatible materials

Avoid contact with strong acids and bases and oxidizing agents.

#### **10.6. Hazardous decomposition products**

During combustion may form carbon monoxide and unidentified organic compounds.

## **11. TOXICOLOGICAL INFORMATION**

| Acute toxicity                    | May be harmful if swallowed. May ne harmful in contact with skin.         |
|-----------------------------------|---|
| Skin corrosion/irritation         | Causes skin irritation.   |
| Serious eye damage/irritation     | Based on the data available, the criteria for classification are not met. |
| Respiratory or skin sensitisation | May cause an allergic skin reaction.                                      |
| Germ cell mutagenicity            | Based on the data available, the criteria for classification are not met. |
| Carcinogenicity                   | Based on the data available, the criteria for classification are not met. |
| Reproductive toxicity             | Based on the data available, the criteria for classification are not met. |
| STOT-single exposure              | Based on the data available, the criteria for classification are not met. |
| STOT-repeated exposure            | Based on the data available, the criteria for classification are not met. |
| Aspiration hazard                 | May be fatal if swallowed and enters airways.                             |

## **12. ECOLOGICAL INFORMATION**

## 12.1. Toxicity

Assessment: Toxic to aquatic life with long lasting effects. Experimental/calculated data: No information available.

## 12.2. Persistence and degradability

Biodegradation : > 52%. (OECD 301 F).

# **12.3. Bioaccumulative potential** No information available.

# 12.4. Soil mobility

No information available.

#### 12.5. Other adverse effects

See also sections 6, 7, 13 and 15 Do not allow to get into waste water or waterways.

## **13. DISPOSAL CONSIDERATIONS**

## 13.1. Waste treatment methods

Dispose of in accordance with national and local environmental regulations.

## **14. TRANSPORT INFORMATION**

|                                  |                  | 1 |                  |              |               |     |
|----------------------------------|------------------|---|------------------|--------------|---------------|-----|
|                                  | ADR/RID/ADN      |   | IMDG             |              | IATA-ICAO     |     |
| 14.1. UN Number                  | UN1197           |   | UN1197           | 1            | UN1197        |     |
| 14.2. UN Proper Shipping Name    | EXTRACTS, LIQUID |   | EXTRACTS, LIQUII | D (LIMONENE) | EXTRACTS, LIQ | UID |
| 14.3. Transport Hazard Class(es) | 3                |   | 3                |              | 3             |     |
| 14.4. Packing Group              | 111              |   | III              |              | 111           |     |
| 14.5. Environmental hazards      | Yes              |   | Yes              |              | Yes           |     |
| Additional information           |                  |   |                  |              |               |     |

#### 14.6 Special precautions for user None known

14.7. Maritime transport in bulk according to IMO instruments

No information available



## ELEMI OIL

Revision date: 24-01-2024 Version: 4.1/GHS/EN

Print Date: 20-04-2024 Page: 6 / 6

## **15. REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No information available

# **16. OTHER INFORMATION**

#### Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:

H226 – Flammable liquid and vapour.

- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H303 May be harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H316 Causes mild skin irritation. H317 – May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H401 Toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.