

VETIVER BYP

Revision date: 24-01-2024 Print Date: 19-04-2024

Version: 4.0/GHS/EN Page: 1 / 6

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

1.1. Identification of the substance/mixture

Trade name: VETIVER BYP

CAS Number: —

CE Number:

UFI: PM30-508N-100M-MN1T

1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances.

1.3. Details of the supplier of the safety data sheet

Company: Ernesto Ventós SA

Address: Carretera Real, 120 B

08960 Sant Just Desvern - Barcelona - SPAIN

 Telephone:
 (00 34) 934 706 210

 Fax:
 (00 34) 934 733 010

 E-mail:
 info@ventos.com

1.4. Emergency telephone number

NCEC (+44) 1865 407333 (24h) NCEC (+34) 91 114 2520 (24h) (ES)

NCEC (+1) 202 464 2554 (24h) (USA, Canada)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin Irritant - Category 2 - H315 Eye Irritant - Category 2 - H319 Skin sensitizer - Category 1 - H317 Aspiration hazard - Category 1 - H304

Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411

2.2. Label Elements

Hazard pictograms:







Signal Word:

Danger

Hazard statements:

H304 – May be fatal if swallowed and enters airways.

H315 – Causes skin irritation.

H317 – May cause an allergic skin reaction.

H319 – Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements:

P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.

 ${\tt P280-Wear\ protective\ gloves/protective\ clothing/eye\ protection/face\ protection.}$

P301+P310+P331 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

P302+P352+P333+P313 – IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338+P337+P313 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.



VETIVER BYP

Substances responsible for the health hazards:

METHYL CEDRYL KETONE
BETA-CARYOPHYLLENE
CARYOPHYLLENE ACETATE
GUAIYL ACETATE
L-BETA-BISABOLENE
VETIVER OIL, ACETYLATED
GUAIACWOOD OIL, ACETYLATED
VETIVEROLS
GURJUM BALSAM OIL
METHYL CYCLOMYRCETONE
VETIVER OIL

2.3. Other hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

MIXTURE OF AROMATIC SUBSTANCES

Hazardous constituents:

| Chemical Name | % (w/w) | CAS No. EC No. | Classification according to GHS | |
|----------------------------|----------|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| METHYL CYCLOMYRCETONE | ≥10; <25 | 54464-57-2 915-730-3 | Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411 | |
| GURJUM BALSAM OIL | ≥1; <10 | 8030-55-5 232-444-8 | Skin sensitizer - Category 1 - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410 | |
| VETIVER OIL | ≥1; <10 | 84238-29-9 282-490-8 | Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1 - H317 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411 | |
| GUAIACWOOD OIL, ACETYLATED | ≥1; <10 | 94333-88-7 305-067-2 | Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410 | |
| METHYL CEDRYL KETONE | ≥1; <10 | 32388-55-9 251-020-3 | Acute Toxicity - Category 5 (oral) - H303 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410 | |
| BETA-CARYOPHYLLENE | ≥1; <10 | 87-44-5 201-746-1 | Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 | |
| VETIVER OIL, ACETYLATED | ≥1; <10 | 84082-84-8 282-031-1 | Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411 | |
| VETIVEROLS | ≥1; <10 | - | Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1B - H317 | |
| VETIVAL | ≥1; <10 | 4927-39-3 225-562-6 | Skin Irritant - Category 2 - H315 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411 | |
| ALPHA-GUAIENE | ≥1; <10 | 3691-12-1 | Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Aspiration hazard - Category 1 - H304 | |
| CARYOPHYLLENE ACETATE | ≥1; <10 | 57082-24-3 260-555-1 | Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410 | |
| | | | | |



VETIVER BYP

Revision date: 24-01-2024 Print Date: 19-04-2024 Version: 4.0/GHS/EN Page: 3 / 6

| | | | |
|-------------------|----------|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GUAIYL ACETATE | ≥0.1; <1 | 134-28-1 205-135-0 | Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410 |
| L-BETA-BISABOLENE | ≥0.1; <1 | 495-61-4 NOT LISTED | Acute Toxicity - Category 4 (inhalation) - H332 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411 |

See the full text of the hazard statements in section 16.

4. FIRST-AID MEASURES

4.1. Description of necessary first aid measures

Ingestion: Rinse mouth with water.

Obtain medical advice.

Keep at rest. Do not induce vomiting.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.

Inhalation: Remove person to fresh air and keep at rest.

Seek immediate medical advice.

Skin contact: Take off immediately all contaminated clothing.

Thoroughly wash affected skin with soap and water. Seek medical attention if symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam.

For safety reasons do not use full water jet.

5.2. Special hazards arising from the substance or mixture

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

5.3. Advice for firefighters

High temperatures can lead to high pressures inside closed containers.

Avoid inhalation of vapors that are created. Use appropriate respiratory protection.

Do not allow spillage of fire to be poured into drains or watercourses.

Wear self-contained breathing apparatus and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surronding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering. Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).

Place in covered containers using non-sparking tools and transport outdoors.

Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater).

Ventilate area and wash spill site after material pickup is complete.

6.4. Reference to other sections

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.



VETIVER BYP

Revision date: 24-01-2024 Print Date: 19-04-2024 Version: 4.0/GHS/EN

Page: 4 / 6

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not store or handle this material near food or drinking water. Do not smoke.

Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses.

Observe the rules of safety and hygiene at work.

Keep in the original container or an alternative made from a compatible material.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light.

Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges).

Keep away from incompatible materials (see section 10).

7.3. Specific end use(s)

No information available.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1. Control parameters

Components with occupational exposure limits:

None known.

8.2. Exposure controls

Measures should be taken to prevent materials from being splashed into the body.

Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

8.3. Individual protection measures, such as personal protective equipment

Eye/Face protection: Chemical safety goggles are recommended. Wash contaminated goggles before reuse. Hand Protection: Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.

Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks

involved.

Respiratory Protection: In case of insufficient ventilation, use suitable respiratory equipment.

Emissions from ventilation or process equipment should be checked to ensure they comply with environmental Environmental exposure controls:

protection legislation.

In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to

acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid

Colour: Conforms to standard Odour: Conforms to standard Odour theshold: Not determined рН: Not determined Melting point/freezing point: Not determined Boling point/boiling range (°C): Not determined Flash point: 100 °C

Evaporation rate: Not determined Flammability: Not determined Lower flammability/Explosive limit: Not determined Upper flammability/Explosive limit: Not determined Vapour pressure: Not determined Vapour Density: Not determined Density: 0,95-0,98 g/mL (20°C) Relative density: 0,95-0,98 (20°C) Water solubility: **INSOLUBLE IN WATER** SOLUBLE IN ETHANOL Solubility in other solvents:

Partition coefficient n-octanol/water: Not determined Auto-ignition temperature: Not determined Decomposition temperature: Not determined Viscosity, dynamic: Not determined Viscosity, kinematic: Not determined Explosive properties: Not determined Oxidising properties: NONE EXPECTED



VETIVER BYP

Revision date: 24-01-2024 Print Date: 19-04-2024 Version: 4.0/GHS/EN

Page: 5 / 6

10. STABILITY AND REACTIVITY

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to Avoid

Conditions to Avoid: Excessive heat, flame or other ignition sources.

10.5. Incompatible materials

Avoid contact with strong acids and bases and oxidizing agents.

10.6. Hazardous decomposition products

During combustion may form carbon monoxide and unidentified organic compounds.

11. TOXICOLOGICAL INFORMATION

| Acute toxicity | Based on the data available, the criteria for classification are not met. | | | |
|-----------------------------------|---------------------------------------------------------------------------|--|--|--|
| Skin corrosion/irritation | Causes skin irritation. | | | |
| Serious eye damage/irritation | Causes serious eye irritation. | | | |
| Respiratory or skin sensitisation | May cause an allergic skin reaction. | | | |
| Germ cell mutagenicity | Based on the data available, the criteria for classification are not met. | | | |
| Carcinogenicity | Based on the data available, the criteria for classification are not met. | | | |
| Reproductive toxicity | Based on the data available, the criteria for classification are not met. | | | |
| STOT-single exposure | Based on the data available, the criteria for classification are not met. | | | |
| STOT-repeated exposure | Based on the data available, the criteria for classification are not met. | | | |
| Aspiration hazard | May be fatal if swallowed and enters airways. | | | |

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Assessment:

Toxic to aquatic life with long lasting effects.

Experimental/calculated data:

No information available.

12.2. Persistence and degradability

79,4% of the ingredients in the mixture are readily biodegradable 9% of the ingredients in the mixture are inherently biodegradable 8% of the ingredients in the mixture are neither readily nor inherently biodegradable There is no data on biodegradability for the 3,6% of the ingredients in the mixture

12.3. Bioaccumulative potential

No information available.

12.4. Soil mobility

No information available.

12.5. Other adverse effects

See also sections 6, 7, 13 and 15

Do not allow to get into waste water or waterways.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of in accordance with national and local environmental regulations.



VETIVER BYP

Revision date: 24-01-2024 Version: 4.0/GHS/EN

Page: 6 / 6

Print Date: 19-04-2024

14. TRANSPORT INFORMATION

| | ADR/RID/ADN | IMDG | IATA-ICAO |
|----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| 14.1. UN Number | UN3082 | UN3082 | UN3082 |
| 14.2. UN Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS | ENVIRONMENTALLY HAZARDOUS | ENVIRONMENTALLY HAZARDOUS |
| | SUBSTANCE, LIQUID, N.O.S. (METHYL | SUBSTANCE, LIQUID, N.O.S. (METHYL | SUBSTANCE, LIQUID, N.O.S. (METHYL |
| | CEDRYL KETONE) | CEDRYL KETONE) | CEDRYL KETONE) |
| 14.3. Transport Hazard Class(es) | 9 | 9 | 9 |
| 14.4. Packing Group | III | III | III |
| 14.5. Environmental hazards | Yes | Yes | Yes |
| Additional information | | | |

14.6 Special precautions for user

None known

14.7. Maritime transport in bulk according to IMO instruments

No information available

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No information available

16. OTHER INFORMATION

Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:

H303 - May be harmful if swallowed.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 – May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H332 – Harmful if inhaled.

H400 - Very toxic to aquatic life.

H401 – Toxic to aquatic life.

H410 – Very toxic to aquatic life with long lasting effects.

H411 – Toxic to aquatic life with long lasting effects.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.