

SPECIFICATION SHEET

VERSION 4,00 **VERSION DATE** 19/09/22 **PRINT DATE** 19/04/24

PRODUCT ISOBUTYL QUINOLINE 40% DPG SYMRISE
APPLICATIONS Industrial raw material not intended for direct use.

IUPAC NAME 6-SEC-BUTYLQUINOLINE DILUTED IN DPG

SYNONYMS 6-SECONDARY BUTYL QUINOLINE (40% DPG); ISOBUTYLQUINOLINE 54

 FORMULA
 C13 H15 N

 MOLECULAR WEIGHT
 185,30

 CAS
 65442-31-1

EINECS 265-777-2

TARIFF NUMBER 3302909000

REACH REGISTRATION NO. All the ingredients of the mixture have been registered or they are exempt from registration.

SPECIFICATIONS

ASPECT AT 20°C SLIGHT VISCOUS CLEAR LIQUID COLOUR COLORLESS TO PALE YELLOW

ODOUR POWERFUL, EARTHY, MOSSY, LEATHERY

TASTE

DENSITY AT 20°C (g / ml) 1,014 - 1,018

DENSITY 25/25

REFRACTIVE INDEX nD20 1,5240 - 1,5280

REFRACTIVE INDEX nD25

OPTICAL ROTATION (°) -5,00 / 5,00

BOILING POINT (°C) -

MELTING POINT (°C)

FLASH POINT (°C) 101,00

ASSAY (% GC) IT CONTAINS 40% APROX. BY WEIGHT OF DPG

ACID VALUE (mg KOH/g)

SOLUBILITYINSOLUBLE IN WATERVAPOUR PRESSURE0,001 hPa (20°C)OTHER SOLUBILITIESSOLUBLE IN ETHANOL

OTHER TECHNICAL DATA

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

IT CONTAINS 0,06% TOCOPHEROL

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.