

SPECIFICATION SHEET

16/04/24 **VERSION** 1,00 **VERSION DATE** 19/09/22 **PRINT DATE**

PALISANDROL FIRMENICH 17979 **PRODUCT**

Industrial raw material not intended for direct use. **APPLICATIONS**

CLASSIFICATION WOODY

REACH REGISTRATION NO. All the ingredients of the mixture have been registered or they are exempt from registration.

SPECIFICATIONS

ASPECT AT 20°C CLEAR MOBILE LIQUID **COLOUR** COLORLESS TO PALE YELLOW

A VERY INTENSE AND RICH WOODY SPECIALITY WITH ASPECTS OF DRIED WOOD. **ODOUR**

TENACITY LASTS MORE THAN 1 WEEK ON A SMELLING STRIP.

LEVELS FROM 0.5% TO 5% CAN BE USED TO UNDERLINE THE WOODY SIDE OF ANY **USAGE**

COMPOUND. IT WORKS PARTICULARLY WELL IN COMBINATION WITH SANDALWOOD

AND AMBROX DL.

STABLE IN A WIDE RANGE OF PRODUCTS INCLUDING CREAM, TALCUM POWDER, **STABILITY**

ANTIPERSPIRANT, SHAMPOO AND SOAP.

- 1,038 DENSITY AT 20°C (g / ml) 1,028

DENSITY 25/25

REFRACTIVE INDEX nD20 1,4920 - 1,4980

REFRACTIVE INDEX nD25 OPTICAL ROTATION (°)

BOILING POINT (°C) MELTING POINT (°C)

FLASH POINT (°C) 101,00

ASSAY (% GC)

ACID VALUE (mg KOH/g)

SOLUBILITY SOLUBILITY IN WATER: NOT DETERMINED

NOT DETERMINED **VAPOUR PRESSURE** SOLUBLE IN ETHANOL OTHER SOLUBILITIES

OTHER TECHNICAL DATA

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.