

SPECIFICATION SHEET

VERSION 3,00 **VERSION DATE** 24/11/21 **PRINT DATE** 20/04/24

PRODUCT CEDRONE S IFF
APPLICATIONS Industrial raw material not intended for direct use.
IUPAC NAME CEDARWOOD OIL, EPOXIDIZED
SYNONYMS

FORMULA
MOLECULAR WEIGHT 0,00
CAS 100209-33-4

EINECS 309-341-2

TARIFF NUMBER 2914290090

REACH REGISTRATION NO. Exempt from registration (imported/manufactured < 1 ton/year)

SPECIFICATIONS

ASPECT AT 20°C	LIQUID
COLOUR	PALE YELLOW TO YELLOW
ODOUR	WOODY, DRY, BALSAMIC
TASTE	
DENSITY AT 20°C (g / ml)	0,996 - 1,007
DENSITY 25/25	0,995 - 1,006
REFRACTIVE INDEX nD20	1,4990 - 1,5090
REFRACTIVE INDEX nD25	-
OPTICAL ROTATION (°)	/
BOILING POINT (°C)	-
MELTING POINT (°C)	-
FLASH POINT (°C)	93,00
ASSAY (% GC)	CEDRANONE < 30%; SECTION1: 5-15% SECCION2: 80-95%
ACID VALUE (mg KOH/g)	-
SOLUBILITY	SOLUBILITY IN WATER NOT DETERMINED
VAPOUR PRESSURE	0,0001 calculated (kPa)
OTHER SOLUBILITIES	SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA THE VALUES OF % CEDRANONE, SECTION 1 AND SECTION 2 HAVE BEEN ANALYZED WITH A POLAR COLUMN. IT IS DERIVED FROM CEDARWOOD VIRGINIA.

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.