

**GERANIUM OIL, EGYPT**

Revision date: 20-05-2019  
Version: 3.5/GHS/EN

Print Date: 03-12-2021  
Page: 1 / 6

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

### 1.1. Identification of the substance/mixture

**Trade name:** GERANIUM OIL, EGYPT  
**Substance name:** GERANIUM OIL  
**CAS Number:** 90082-51-2  
**CE Number:** 290-140-0  
**UFI:**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances and/or flavourings.

### 1.3. Details of the supplier of the safety data sheet

**Company:** Ernesto Ventós SA  
**Address:** Carretera Real, 120 B  
08960 Sant Just Desvern – Barcelona – SPAIN  
**Telephone:** (00 34) 934 706 210  
**Fax:** (00 34) 934 733 010  
**E-mail:** info@ventos.com

### 1.4. Emergency telephone number

NCEC (+44) 1865 407333 (24h)  
NCEC (+34) 91 114 2520 (24h) (ES)  
NCEC (+1) 202 464 2554 (24h) (USA, Canada)

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Skin Irritant - Category 2 - H315  
Eye Irritant - Category 2 - H319  
Skin sensitizer - Category 1B - H317

### 2.2. Label Elements

**Hazard pictograms:**



**Signal Word:**

Warning

**Hazard statements:**

H315 – Causes skin irritation.  
H317 – May cause an allergic skin reaction.  
H319 – Causes serious eye irritation.

**Precautionary statements:**

P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 – Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352+P333+P313 – IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.  
P305+P351+P338+P337+P313 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.  
P362+P364 – Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards

No Information available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

**Chemical name:** GERANIUM OIL  
**CAS number:** 90082-51-2  
**EC number:** 290-140-0

**GERANIUM OIL, EGYPT**

Revision date: 20-05-2019

Version: 3.5/GHS/EN

Print Date: 03-12-2021

Page: 2 / 6

**Hazardous constituents:**

Chemical Name	% (w/w)	CAS No EC No	Classification according to GHS
CITRONELLOL	≥25; <50	106-22-9 203-375-0	Acute Toxicity - Category 5 (oral) - H303 Acute Toxicity - Category 5 (dermal) - H313 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401
GERANIOL	≥10; <25	106-24-1 203-377-1	Acute Toxicity - Category 5 (oral) - H303 Skin Irritant - Category 2 - H315 Serious eye damage - Category 1 - H318 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402
CITRONELLYL FORMATE	≥1; <10	105-85-1 203-338-9	Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401
ISOMENTHONE	≥1; <10	491-07-6 207-727-4	Flammable Liquids - Category 4 - H227 Acute Toxicity - Category 5 (oral) - H303 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402
LINALOOL	≥1; <10	78-70-6 201-134-4	Flammable Liquids - Category 4 - H227 Acute Toxicity - Category 5 (oral) - H303 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402
GERANYL FORMATE	≥1; <10	105-86-2 203-339-4	Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410
GERANYL BUTYRATE	≥1; <10	106-29-6 203-381-3	Acute Toxicity - Category 5 (dermal) - H313 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410
CITRONELLYL TIGLATE	≥1; <10	24717-85-9 246-426-2	Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410
MENTHONE	≥1; <10	1074-95-9 214-049-2	Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317
BETA-CARYOPHYLLENE	≥1; <10	87-44-5 201-746-1	Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, long-term (chronic) - Category 4 - H413
ROSE OXIDE	≥1; <10	16409-43-1 240-457-5	Flammable Liquids - Category 4 - H227 Acute Toxicity - Category 5 (oral) - H303 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Toxic to reproduction - Category 2 - H361 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402
CITRAL	≥1; <10	5392-40-5 226-394-6	Acute Toxicity - Category 5 (dermal) - H313 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401
ALPHA-PINENE	≥0.1; <1	80-56-8 201-291-9	Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 4 (oral) - H302 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410
CITRONELLYL BUTYRATE	≥0.1; <1	141-16-2 205-463-4	Skin sensitizer - Category 1B - H317 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410
...	...	...	...

**GERANIUM OIL, EGYPT**

Revision date: 20-05-2019

Version: 3.5/GHS/EN

Print Date: 03-12-2021

Page: 3 / 6

...	...	...	...
LIMONENE	≥0.1; <1	138-86-3 205-341-0	Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410
BETA-PINENE	≥0.1; <1	127-91-3 204-872-5	Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410

See the full text of the hazard statements in section 16.

### 3.2. Mixtures

Not applicable.

## 4. FIRST-AID MEASURES

### 4.1. Description of necessary first aid measures

Ingestion: Rinse mouth with water.  
Obtain medical advice.  
Keep at rest. Do not induce vomiting.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.

Inhalation: Remove person to fresh air and keep at rest.  
Seek immediate medical advice.

Skin contact: Take off immediately all contaminated clothing.  
Thoroughly wash affected skin with soap and water.  
Seek medical attention if symptoms persist.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## 5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam.  
For safety reasons do not use full water jet.

### 5.2. Special hazards arising from the substance or mixture

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

### 5.3. Advice for firefighters

High temperatures can lead to high pressures inside closed containers.  
Avoid inhalation of vapors that are created. Use appropriate respiratory protection.  
Do not allow spillage of fire to be poured into drains or watercourses.  
Wear self-contained breathing apparatus and protective clothing.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surrounding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering.  
Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

### 6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

### 6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).  
Place in covered containers using non-sparking tools and transport outdoors.  
Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater).  
Ventilate area and wash spill site after material pickup is complete.

**GERANIUM OIL, EGYPT**

Revision date: 20-05-2019

Version: 3.5/GHS/EN

Print Date: 03-12-2021

Page: 4 / 6

**6.4. Reference to other sections**

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.

**7. HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Do not store or handle this material near food or drinking water. Do not smoke.  
Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses.  
Observe the rules of safety and hygiene at work.  
Keep in the original container or an alternative made from a compatible material.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light.  
Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges).  
Keep away from incompatible materials (see section 10).

**7.3. Specific end use(s)**

No information available.

**8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**

**8.1. Control parameters**

Components with occupational exposure limits:

Chemical Name	CAS No	Norm.	8 hr.		15 min.			
			ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>		
CITRAL	5392-40-5	ES (España) <sup>1</sup>	VLA-ED	5		VLA-EC		
		PL (Polska)	NDS		27	NDSch		54

<sup>1</sup> Possibility of significant uptake through the skin.

**8.2. Exposure controls**

Measures should be taken to prevent materials from being splashed into the body.  
Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

**8.3. Individual protection measures, such as personal protective equipment**

Eye/Face protection: Chemical safety goggles are recommended. Wash contaminated goggles before reuse.  
Hand Protection: Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.  
Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved.  
Respiratory Protection: In case of insufficient ventilation, use suitable respiratory equipment.  
Environmental exposure controls: Emissions from ventilation or process equipment should be checked to ensure they comply with environmental protection legislation.  
In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

Appearance: Liquid  
Colour: Conforms to standard  
Odour: Conforms to standard  
Odour threshold: Not determined  
pH: Not determined  
Melting point/freezing point: Not determined  
Boiling point/boiling range (°C): Not determined  
Flash point: 64 °C  
Evaporation rate: Not determined  
Flammability: Not determined  
Lower flammability/Explosive limit: Not determined  
Upper flammability/Explosive limit: Not determined  
Vapour pressure: Not determined  
Vapour Density: Not determined  
Density: 0,884–0,901 g/mL (20°C)  
Relative density: 0,884–0,901 (20°C)

**GERANIUM OIL, EGYPT**

Revision date: 20-05-2019

Version: 3.5/GHS/EN

Print Date: 03-12-2021

Page: 5 / 6

Water solubility:	INSOLUBLE IN WATER
Solubility in other solvents:	SOLUBLE IN ETHANOL
Partition coefficient n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity, dynamic:	Not determined
Viscosity, kinematic:	Not determined
Explosive properties:	Not determined
Oxidising properties:	Not determined

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.4. Conditions to Avoid

Conditions to Avoid: Excessive heat, flame or other ignition sources.

### 10.5. Incompatible materials

Avoid contact with strong acids and bases and oxidizing agents.

### 10.6. Hazardous decomposition products

During combustion may form carbon monoxide and unidentified organic compounds.

## 11. TOXICOLOGICAL INFORMATION

<b>Acute toxicity</b>	Based on the data available, the criteria for classification are not met.
<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/irritation</b>	Causes serious eye irritation.
<b>Respiratory or skin sensitisation</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	Based on the data available, the criteria for classification are not met.
<b>Carcinogenicity</b>	Based on the data available, the criteria for classification are not met.
<b>Reproductive toxicity</b>	Based on the data available, the criteria for classification are not met.
<b>STOT-single exposure</b>	Based on the data available, the criteria for classification are not met.
<b>STOT-repeated exposure</b>	Based on the data available, the criteria for classification are not met.
<b>Aspiration hazard</b>	Based on the data available, the criteria for classification are not met.

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Assessment:**

Based on the data available, the criteria for classification are not met.

**Experimental/calculated data:**

- Toxicity for aquatic invertebrates: LC50 (48h) : 14.5 mg/L. (OECDTG 202).
- Toxicity for algae: ErC50 (72h) : 30.4 mg/L. (OECDTG 201).

### 12.2. Degradability

Biodegradation : > 67%. (OECD 301 D).

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Soil mobility

No information available.

### 12.5. Other adverse effects

See also sections 6, 7, 13 and 15

Do not allow to get into waste water or waterways.

**GERANIUM OIL, EGYPT**

Revision date: 20-05-2019

Version: 3.5/GHS/EN

Print Date: 03-12-2021

Page: 6 / 6

**13. DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

Dispose of in accordance with national and local environmental regulations.

**14. TRANSPORT INFORMATION**

	ADR/RID/ADN	IMDG	IATA-ICAO
<b>14.1. UN Number</b>	Not classified as hazardous goods	Not classified as hazardous goods	Not classified as hazardous goods
<b>14.2. UN Proper Shipping Name</b>	Not applicable	Not applicable	Not applicable
<b>14.3. Transport Hazard Class(es)</b>	Not applicable	Not applicable	Not applicable
<b>14.4. Packing Group</b>	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>	No	No	No
<b>Additional information</b>			

**14.6 Special precautions for user**

None known

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

No information available

**15. REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

No information available

**16. OTHER INFORMATION**

**Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:**

- H226 – Flammable liquid and vapour.
- H227 – Combustible liquid.
- H302 – Harmful if swallowed.
- H303 – May be harmful if swallowed.
- H304 – May be fatal if swallowed and enters airways.
- H313 – May be harmful in contact with skin.
- H315 – Causes skin irritation.
- H317 – May cause an allergic skin reaction.
- H318 – Causes serious eye damage.
- H319 – Causes serious eye irritation.
- H361 – Suspected of damaging fertility or the unborn child.
- H400 – Very toxic to aquatic life.
- H401 – Toxic to aquatic life.
- H402 – Harmful to aquatic life.
- H410 – Very toxic to aquatic life with long lasting effects.
- H413 – May cause long lasting harmful effects to aquatic life.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.