

CIS-3-HEXENOL SUBSTITUTE

Revision date: 15-07-2019
Version: 3.0/GHS/EN

Print Date: 25-04-2024
Page: 1 / 5

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

1.1. Identification of the substance/mixture

Trade name: CIS-3-HEXENOL SUBSTITUTE
CAS Number: —
CE Number: —

1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances and/or flavourings.

1.3. Details of the supplier of the safety data sheet

Company: Ernesto Ventós SA
Address: Carretera Real, 120 B
08960 Sant Just Desvern – Barcelona – SPAIN
Telephone: (00 34) 934 706 210
Fax: (00 34) 934 733 010
E-mail: info@ventos.com

1.4. Emergency telephone number

NCEC (+44) 1865 407333 (24h)
NCEC (+34) 91 114 2520 (24h) (ES)
NCEC (+1) 202 464 2554 (24h) (USA, Canada)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Flammable Liquids - Category 3 - H226
Acute Toxicity - Category 4 (oral) - H302
Acute Toxicity - Category 4 (dermal) - H312
Skin Irritant - Category 3 - H316
Eye Irritant - Category 2 - H319
Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402

2.2. Label Elements

Hazard pictograms:



Signal Word:

Warning

Hazard statements:

H226 – Flammable liquid and vapour.
H302 – Harmful if swallowed.
H312 – Harmful in contact with skin.
H316 – Causes mild skin irritation.
H319 – Causes serious eye irritation.
H402 – Harmful to aquatic life.

Precautionary statements:

P210 – Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P280 – Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352+P312 – IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/physician if you feel unwell.
P305+P351+P338+P337+P313 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
P332+P313 – If skin irritation occurs: Get medical advice/attention.

Substances responsible for the health hazards:

1-HEXANOL

2.3. Other hazards

No Information available

CIS-3-HEXENOL SUBSTITUTE

Revision date: 15-07-2019
Version: 3.0/GHS/EN

Print Date: 25-04-2024
Page: 2 / 5

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

MIXTURE OF AROMATIC SUBSTANCES

Hazardous constituents:

| Chemical Name | % (w/w) | CAS No EC No | Classification according to GHS |
|---------------|---------|-----------------------|---|
| 1-HEXANOL | ≥50 | 111-27-3 203-852-3 | Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 4 (oral) - H302 Acute Toxicity - Category 4 (dermal) - H312 Skin Irritant - Category 3 - H316 Eye Irritant - Category 2A - H319 Hazardous to the aquatic environment, short-term (acute) - Category 3 - H402 |
| CIS-3-HEXENOL | ≥1; <10 | 928-96-1 213-192-8 | Flammable Liquids - Category 3 - H226 Eye Irritant - Category 2A - H319 |

See the full text of the hazard statements in section 16.

4. FIRST-AID MEASURES

4.1. Description of necessary first aid measures

Ingestion: Rinse mouth with water.
Obtain medical advice.
Keep at rest. Do not induce vomiting.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.

Inhalation: Remove person to fresh air and keep at rest.
Seek immediate medical advice.

Skin contact: Take off immediately all contaminated clothing.
Thoroughly wash affected skin with soap and water.
Seek medical attention if symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam.
For safety reasons do not use full water jet.

5.2. Special hazards arising from the substance or mixture

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

5.3. Advice for firefighters

High temperatures can lead to high pressures inside closed containers.
Avoid inhalation of vapors that are created. Use appropriate respiratory protection.
Do not allow spillage of fire to be poured into drains or watercourses.
Wear self-contained breathing apparatus and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surrounding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering.
Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

CIS-3-HEXENOL SUBSTITUTE

Revision date: 15-07-2019

Version: 3.0/GHS/EN

Print Date: 25-04-2024

Page: 3 / 5

6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).

Place in covered containers using non-sparking tools and transport outdoors.

Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater).

Ventilate area and wash spill site after material pickup is complete.

6.4. Reference to other sections

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not store or handle this material near food or drinking water. Do not smoke.

Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses.

Observe the rules of safety and hygiene at work.

Keep in the original container or an alternative made from a compatible material.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light.

Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges).

Keep away from incompatible materials (see section 10).

7.3. Specific end use(s)

No information available.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1. Control parameters

Components with occupational exposure limits:

None known.

8.2. Exposure controls

Measures should be taken to prevent materials from being splashed into the body.

Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

8.3. Individual protection measures, such as personal protective equipment

Eye/Face protection:

Chemical safety goggles are recommended. Wash contaminated goggles before reuse.

Hand Protection:

Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

Respiratory Protection:

In case of insufficient ventilation, use suitable respiratory equipment.

Environmental exposure controls:

Emissions from ventilation or process equipment should be checked to ensure they comply with environmental protection legislation.

In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | |
|-------------------------------------|--|
| Appearance: | Liquid |
| Colour: | Conforms to standard |
| Odour: | Conforms to standard |
| Odour threshold: | Not determined |
| pH: | Not determined |
| Melting point/freezing point: | Not determined |
| Boiling point/boiling range: | Not determined |
| Flash point: | 58 °C |
| Evaporation rate: | Not determined |
| Flammability: | Not determined |
| Lower flammability/Explosive limit: | Not determined |
| Upper flammability/Explosive limit: | Not determined |
| Vapour pressure: | Not determined |
| Vapour Density: | Not determined |
| Density: | 0,815—0,825 g/mL (20°C) |
| Relative density: | 0,815—0,825 (20°C) |
| Water solubility: | SLIGHTLY SOLUBLE IN WATER (6 g/l APPROX AT 25°C) |

CIS-3-HEXENOL SUBSTITUTE

Revision date: 15-07-2019
Version: 3.0/GHS/EN

Print Date: 25-04-2024
Page: 4 / 5

| | |
|--|--------------------|
| Solubility in other solvents: | SOLUBLE IN ETHANOL |
| Partition coefficient n-octanol/water: | Not determined |
| Auto-ignition temperature: | Not determined |
| Decomposition temperature: | Not determined |
| Viscosity, dynamic: | Not determined |
| Viscosity, kinematic: | Not determined |
| Explosive properties: | Not determined |
| Oxidising properties: | NONE EXPECTED |

10. STABILITY AND REACTIVITY

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to Avoid

Conditions to Avoid: Excessive heat, flame or other ignition sources.

10.5. Incompatible materials

Avoid contact with strong acids and bases and oxidizing agents.

10.6. Hazardous decomposition products

During combustion may form carbon monoxide and unidentified organic compounds.

11. TOXICOLOGICAL INFORMATION

| | |
|--|---|
| Acute toxicity | Harmful if swallowed. Harmful in contact with skin. |
| Skin corrosion/irritation | Causes mild skin irritation. |
| Serious eye damage/irritation | Causes serious eye irritation. |
| Respiratory or skin sensitisation | Based on the data available, the criteria for classification are not met. |
| Germ cell mutagenicity | Based on the data available, the criteria for classification are not met. |
| Carcinogenicity | Based on the data available, the criteria for classification are not met. |
| Reproductive toxicity | Based on the data available, the criteria for classification are not met. |
| STOT-single exposure | Based on the data available, the criteria for classification are not met. |
| STOT-repeated exposure | Based on the data available, the criteria for classification are not met. |
| Aspiration hazard | Based on the data available, the criteria for classification are not met. |

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Assessment:

Harmful to aquatic life.

Experimental/calculated data:

No information available.

12.2. Degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Soil mobility

No information available.

12.5. Other adverse effects

See also sections 6, 7, 13 and 15

Do not allow to get into waste water or waterways.

CIS-3-HEXENOL SUBSTITUTE

Revision date: 15-07-2019
Version: 3.0/GHS/EN

Print Date: 25-04-2024
Page: 5 / 5

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of in accordance with national and local environmental regulations.

14. TRANSPORT INFORMATION

| | ADR/RID/ADN | IMDG | IATA-ICAO |
|---|--------------------------------------|--------------------------------------|--------------------------------------|
| 14.1. UN Number | UN1993 | UN1993 | UN1993 |
| 14.2. UN Proper Shipping Name | FLAMMABLE LIQUID, N.O.S. (1-HEXANOL) | FLAMMABLE LIQUID, N.O.S. (1-HEXANOL) | FLAMMABLE LIQUID, N.O.S. (1-HEXANOL) |
| 14.3. Transport Hazard Class(es) | 3 | 3 | 3 |
| 14.4. Packing Group | III | III | III |
| 14.5. Environmental hazards | No | No | No |
| Additional information | | | |

14.6 Special precautions for user

None known

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No information available

16. OTHER INFORMATION

Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:

H226 – Flammable liquid and vapour.
H302 – Harmful if swallowed.
H312 – Harmful in contact with skin.
H316 – Causes mild skin irritation.
H319 – Causes serious eye irritation.
H402 – Harmful to aquatic life.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.