

MANDARIN GREEN OIL MD

Revision date: 21-02-2020 Version: 3.3/GHS/EN

Print Date: 24-04-2024 Page: 1 / 5

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

1.1. Identification of the substance/mixture

Trade name: Substance name: CAS Number: **CF Number:**

MANDARIN GREEN OIL MD MANDARIN OIL 84929-38-4, 8008-31-9 284-521-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances and/or flavourings.

1.3. Details of the supplier of the safety data sheet

| Company: | Ernesto Ventós SA | | |
|------------|---|--|--|
| Address: | Carretera Real, 120 B | | |
| | 08960 Sant Just Desvern – Barcelona – SPAIN | | |
| Telephone: | (00 34) 934 706 210 | | |
| Fax: | (00 34) 934 733 010 | | |
| E-mail: | info@ventos.com | | |
| | | | |

1.4. Emergency telephone number

NCEC (+44) 1865 407333 (24h) NCEC (+34) 91 114 2520 (24h) (ES) NCEC (+1) 202 464 2554 (24h) (USA, Canada)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1 - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411

2.2. Label Elements



Signal Word: Danger

Hazard statements:

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210 – Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

P302+P352+P333+P313 – IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Chemical name: CAS number: EC number:

MANDARIN OIL 84929-38-4, 8008-31-9 284-521-0



SAFETY DATA SHEET Conforms to the requirements of the Global Harmonized System (GHS)

MANDARIN GREEN OIL MD

Revision date: 21-02-2020 Version: 3.3/GHS/EN Print Date: 24-04-2024 Page: 2 / 5

Hazardous constituents:

| Chemical Name | % (w/w) | CAS No. EC No. | Classification according to GHS |
|-----------------|----------|-----------------------|---|
| LIMONENE | ≥50 | 138-86-3 205-341-0 | Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 3 - H412 |
| GAMMA-TERPINENE | ≥10; <25 | 99-85-4 202-794-6 | Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 5 (oral) - H303 Toxic to reproduction - Category 2 - H361 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 2 - H401 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411 |
| ALPHA-PINENE | ≥1; <10 | 80-56-8 201-291-9 | Flammable Liquids - Category 3 - H226 Acute Toxicity - Category 4 (oral) - H302 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410 |
| MYRCENE | ≥1; <10 | 123-35-3 204-622-5 | Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Eye Irritant - Category 2A - H319 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 2 - H411 |
| BETA-PINENE | ≥1; <10 | 127-91-3 204-872-5 | Flammable Liquids - Category 3 - H226 Skin Irritant - Category 2 - H315 Skin sensitizer - Category 1B - H317 Aspiration hazard - Category 1 - H304 Hazardous to the aquatic environment, short-term (acute) - Category 1 - H400 Hazardous to the aquatic environment, long-term (chronic) - Category 1 - H410 |

See the full text of the hazard statements in section 16.

3.2. Mixtures

Not applicable.

4. FIRST-AID MEASURES

4.1. Description of necessary first aid measures

| Ingestion: | Rinse mouth with water. | |
|---------------|---|--|
| | Obtain medical advice. | |
| | Keep at rest. Do not induce vomiting. | |
| Eye contact: | In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice. | |
| Inhalation: | Remove person to fresh air and keep at rest. | |
| | Seek immediate medical advice. | |
| Skin contact: | Take off immediately all contaminated clothing. | |
| | Thoroughly wash affected skin with soap and water. | |
| | Seek medical attention if symptoms persist. | |

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam. For safety reasons do not use full water jet.

5.2. Special hazards arising from the substance or mixture

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.



MANDARIN GREEN OIL MD

Revision date: 21-02-2020 Version: 3.3/GHS/EN Print Date: 24-04-2024 Page: 3 / 5

o

5.3. Advice for firefighters

High temperatures can lead to high pressures inside closed containers. Avoid inhalation of vapors that are created. Use appropriate respiratory protection. Do not allow spillage of fire to be poured into drains or watercourses. Wear self-contained breathing apparatus and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surronding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering. Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash). Place in covered containers using non-sparking tools and transport outdoors. Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater). Ventilate area and wash spill site after material pickup is complete.

6.4. Reference to other sections

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not store or handle this material near food or drinking water. Do not smoke. Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses. Observe the rules of safety and hygiene at work. Keep in the original container or an alternative made from a compatible material.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light. Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges). Keep away from incompatible materials (see section 10).

7.3. Specific end use(s)

No information available.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1. Control parameters

Components with occupational exposure limits:

| Chemical Name | CAS No. | Norm. | 8 hr. | | 15 min. | | | |
|---------------|----------|-------------|--------|-----|---------|----------|-----|-------------------|
| Chemical Name | CA5 NO. | Norm. | o III. | ppm | mg/m³ | 13 1111. | ppm | mg/m ³ |
| ALPHA-PINENE | 80-56-8 | ES (España) | VLA-ED | 20 | 113 | VLA-EC | 1 | |
| BETA-PINENE | 127-91-3 | ES (España) | VLA-ED | 20 | 113 | VLA-EC | | |

8.2. Exposure controls

Measures should be taken to prevent materials from being splashed into the body. Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

8.3. Individual protection measures, such as personal protective equipment

| Eye/Face protection: | Chemical safety goggles are rec | commended. Wash contamina | ated goggles before reuse. | |
|----------------------------------|------------------------------------|---------------------------------|-------------------------------------|----------------------|
| Hand Protection: | Chemical-resistant gloves are r | ecommended. Wash contami | nated gloves before reuse. | |
| Body protection: | Personal protective equipment | for the body should be select | ed based on the task being perform | ned and the risks |
| | involved. | | | |
| Respiratory Protection: | In case of insufficient ventilatio | on, use suitable respiratory eq | uipment. | |
| Environmental exposure controls: | Emissions from ventilation or p | process equipment should be | checked to ensure they comply with | n environmental |
| | protection legislation. | | | |
| | In some cases, filters or engine | ering modifications to the pro | cess equipment will be necessary to | o reduce emissions t |
| | acceptable levels. | V | | |



SAFETY DATA SHEET Conforms to the requirements of the Global Harmonized System (GHS)

MANDARIN GREEN OIL MD

Revision date: 21-02-2020 Version: 3.3/GHS/EN Print Date: 24-04-2024 Page: 4 / 5

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colour: Odour: Odour theshold: pH: Melting point/freezing point: Boling point/boiling range (°C): Flash point: Evaporation rate: Flammability: Lower flammability/Explosive limit: Upper flammability/Explosive limit: Vapour pressure: Vapour Density: Density: **Relative density:** Water solubility: Solubility in other solvents: Partition coefficient n-octanol/water: Auto-ignition temperature: Decomposition temperature: Viscosity, dynamic: Viscosity, kinematic: Explosive properties: Oxidising properties:

Liquid Conforms to standard Conforms to standard Not determined Not determined Not determined Not determined 46 °C Not determined Not determined Not determined Not determined Not determined Not determined 0,84-0,86 g/mL (20°C) 0.84-0.86 (20°C) INSOLUBLE IN WATER SOLUBLE IN ETHANOL Not determined Not determined Not determined Not determined Not determined Not determined NONE EXPECTED

10. STABILITY AND REACTIVITY

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to Avoid

Conditions to Avoid: Excessive heat, flame or other ignition sources.

10.5. Incompatible materials

Avoid contact with strong acids and bases and oxidizing agents.

10.6. Hazardous decomposition products

During combustion may form carbon monoxide and unidentified organic compounds.

11. TOXICOLOGICAL INFORMATION

| Acute toxicity | Based on the data available, the criteria for classification are not met. |
|-----------------------------------|---|
| Skin corrosion/irritation | Causes skin irritation. |
| Serious eye damage/irritation | Based on the data available, the criteria for classification are not met. |
| Respiratory or skin sensitisation | May cause an allergic skin reaction. |
| Germ cell mutagenicity | Based on the data available, the criteria for classification are not met. |
| Carcinogenicity | Based on the data available, the criteria for classification are not met. |
| Reproductive toxicity | Based on the data available, the criteria for classification are not met. |
| STOT-single exposure | Based on the data available, the criteria for classification are not met. |
| STOT-repeated exposure | Based on the data available, the criteria for classification are not met. |
| Aspiration hazard | May be fatal if swallowed and enters airways. |



MANDARIN GREEN OIL MD

Revision date: 21-02-2020 Version: 3.3/GHS/EN Print Date: 24-04-2024 Page: 5 / 5

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Assessment: Toxic to aquatic life with long lasting effects. Experimental/calculated data: No information available.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Soil mobility

No information available.

12.5. Other adverse effects

See also sections 6, 7, 13 and 15

Do not allow to get into waste water or waterways.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of in accordance with national and local environmental regulations.

14. TRANSPORT INFORMATION

| | ADR/RID/ADN | IMDG | IATA-ICAO |
|----------------------------------|------------------|-----------------------------|------------------|
| 14.1. UN Number | UN1197 | UN1197 | UN1197 |
| 14.2. UN Proper Shipping Name | EXTRACTS, LIQUID | EXTRACTS, LIQUID (LIMONENE) | EXTRACTS, LIQUID |
| 14.3. Transport Hazard Class(es) | 3 | 3 | 3 |
| 14.4. Packing Group | III | 111 | 111 |
| 14.5. Environmental hazards | Yes | Yes | Yes |
| Additional information | | | |

14.6 Special precautions for user

None known

14.7. Maritime transport in bulk according to IMO instruments

No information available

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No information available

16. OTHER INFORMATION

Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H303 May be harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H401 Toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.