

## SPECIFICATION SHEET

<b>VERSION</b>	4,00	<b>VERSION DATE</b>	19/09/22	<b>PRINT DATE</b>	28/04/24
<b>PRODUCT</b>	SANDALWOOD FIRMENICH 77125 B				
<b>APPLICATIONS</b>	Industrial raw material not intended for direct use.				
<b>CLASSIFICATION</b>	MIXTURE OF AROMATIC SUBSTANCES				
<b>REACH REGISTRATION NO.</b>	All the ingredients of the mixture have been registered or they are exempt from registration.				

### SPECIFICATIONS

<b>ASPECT AT 20°C</b>	CLEAR MOBILE LIQUID	
<b>COLOUR</b>	GREEN TO BLUE	
<b>ODOUR</b>	POWERFUL, RICH, WOODY SIMILAR TO SANDALWOOD OIL. TOP NOTES ARE STRONGER THAN THE OIL, BUT LESS PERSISTENT.	
<b>TENACITY</b>	5 DAYS ON A BLOTTER	
<b>USAGE</b>	INVALUABLE AS AN ADJUNT FOR WOODY MUSKY, FLORAL AND ORIENTAL PERFUMES. IT GIVES WARMTH, BODY AND A RICH SWEETNESS THAT IS ALREADY NOTICEABLE IN THE TOP NOTE OF A FRAGRANCE. FRACTIONS OF 1% ALREADY  PROVIDE INTERESTING EFFECTS WHILE A USE LEVEL OF 1-2% GIVES A CLEAR SANDALWOOD CHARACTER.	
<b>STABILITY</b>	STABLE IN A WIDE RANGE OF PRODUCTS, INCLUDING ALCOHOLIC SOLUTIONS, SOAPS, DETERGENT POWDER, SHAMPOOS, FABRIC SOFTNER, ANTIPERSPIRANTS, CREAMS, ETC.	
<b>DENSITY AT 20°C (g / ml)</b>	0,974	- 0,984
<b>DENSITY 25/25</b>	0,971	- 0,981
<b>REFRACTIVE INDEX nD20</b>	1,4570	- 1,4630
<b>REFRACTIVE INDEX nD25</b>	1,4550	- 1,4610
<b>OPTICAL ROTATION (°)</b>	/	
<b>BOILING POINT (°C)</b>		
<b>MELTING POINT (°C)</b>		
<b>FLASH POINT (°C)</b>	101,00	
<b>ASSAY (% GC)</b>		
<b>ACID VALUE (mg KOH/g)</b>	< 5	
<b>SOLUBILITY</b>	NOT DETERMINED	
<b>VAPOUR PRESSURE</b>	NOT DETERMINED	
<b>OTHER SOLUBILITIES</b>	SOLUBLE IN ETHANOL	

### OTHER TECHNICAL DATA

### STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

BHT <0,0001%; BHA <0,0001%

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.