

SPECIFICATION SHEET

VERSION 8,00 VERSIO	N DATE 19/09/22	PRINT DATE 15/05/24
PRODUCT	DIACETYL	
APPLICATIONS	Industrial raw material not intended for direct	use.
IUPAC NAME	2,3-BUTANEDIONE	
SYNONYMS	DIMETHYLDIKETONE, DIMETHYLGLYOXAI	., BUTANODIONE
FORMULA	C4 H6 O2	-
MOLECULAR WEIGHT	86,00	\bigcirc
CAS	431-03-8	X
EINECS	207-069-8	
FEMA	2370	
TARIFF NUMBER	2914199090	\sim
		0
FOOD GRADE CERTIFICATE	AVAILABLE ON REQUEST	
REACH REGISTRATION NO.	On request, REACH and non-REACH material available for this product.	

CLEAR MOBILE LIQUID

SPECIFICATIONS

ASPECT AT 20°C
COLOUR
ODOUR
TASTE
DENSITY AT 20°C (g / ml)
DENSITY 25/25
REFRACTIVE INDEX nD20
REFRACTIVE INDEX nD25
OPTICAL ROTATION (°)
BOILING POINT (°C)
MELTING POINT (°C)
FLASH POINT (°C)
ASSAY (% GC)
ACID VALUE (mg KOH/g)
SOLUBILITY
VAPOUR PRESSURE
OTHER SOLUBILITIES

YELLOW TO YELLOWISH-GREEN SWEET, PUNGENT, BUTTERY, POWERFUL 0,982 - 0,992 0,979 - 0,985 1,3930 - 1,3970 1 88 CA. -3 6,00 > 97 SOLUBILITY IN WATER: 20% w/w 25°C APROX. 65 mbar 20°C SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA

PURGE HEADSPACE WITH NITROGEN AND KEEP REFRIGERATED.

STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 12 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE. IT MUST BE HANDLED WITH THE SAME PRECAUTIONS AS PETROL. DECOMPOSES/POLYMERISES BY AIR CONTACT

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE.

IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.

THIS PRODUCT HAS NOT BEEN FILTERED DUE TO TECHNICAL REASONS. WE RECOMMEND NOT TO USE IT UNLESS FILTERED WHEN USED AS A RAW MATERIAL IN FOOD INTENDED FOR FINAL CONSUMERS.